

References

1. AASHTO. (2002). *Standard specifications for highway bridges* (17th ed.). Washington, DC: American Association of State Highway and Transportation Officials.
2. AASHTO. (2004). *AASHTO LRFD bridge design specification*. Washington, DC: American Association of State Highway and Transportation Officials.
3. Engineers, A. B. A. M. (1993). *Basis for design*. Koror-Babeldaob bridge repairs: Technical report, ABAM Engineers Inc.
4. Abbasi, T., & Abbasi, S. A. (2007). The boiling liquid expanding vapor explosion (BLEVE): Mechanism, consequence assessment, management. *Journal of Hazardous Materials*, *141*, 489–519.
5. Abdel-Rahman, A. K., & Ahmed, G. N. (1996). Computational heat and mass transport in concrete walls exposed to fire. *Numerical Heat Transfer*, *29*, 373–395.
6. Abdel-Samad, S. R., Wright, R. N., & Robinson, A.-R. (1968). Analysis of box girders with diaphragms. *Journal of the Structural Division, ASCE*, *94*, 2231–2255.
7. Abraham, O., & Dérobert, X. (2003). Non-destructive testing of fired tunnel walls: The Mont-Blanc tunnel case study. *NDT&E International*, *36*, 411–418.
8. Abrams, M. S., & Monfore, G. E. (1965). Application of a small probe-type relative humidity gauge to research on fire resistance of concrete. *Journal of the Portland Cement Association Research and Development Laboratories*, *7*, 2–12.
9. Abrams, M. S., & Orals, D. L. (1965). Concrete drying methods and their effect on fire resistance. *Moisture of materials in relation to fire, STP* (Vol. 385, pp. 52–73). Philadelphia: American Society for Testing Materials (PCA Bulletin 181).
10. Achanta, S., Cushman, J., & Okos, M. (1994). On multicomponent, multiphase thermomechanics with interfaces. *International Journal of Engineering Science*, *32*(11), 1717–1738. http://80.apps.webofknowledge.com/dialog.cvut.cz/full_record.do?product=WOS&search_mode=GeneralSearch&qid=5&SID=Q2pWw4ZPkVQTctwemBU&page=1&doc=3.
11. ACI Committee 209. (1971). Prediction of creep, shrinkage and temperature effects in concrete structures. *Designing for the effects of creep, shrinkage and temperature* (pp. 51–93). Farmington Hills, Michigan: American Concrete Institute (ACI SP-27).
12. ACI Committee 209. (1982). Prediction of creep, shrinkage and temperature effects in concrete structures. *Designing for creep and shrinkage in concrete structures* (pp. 193–300). Farmington Hills, Michigan: American Concrete Institute (ACI SP-76).
13. Committee, A. C. I., & 209., (1992). *Prediction of creep, shrinkage and temperature effects in concrete structures* (p. 47). Michigan: Farmington Hills.

14. ACI Committee 209. (2008). Guide for modeling and calculating shrinkage and creep in hardened concrete, Technical report 209.2R-08, American Concrete Institute, Farmington Hills, Michigan.
15. Committee, A. C. I., & 212., (1986). *Admixtures for concrete, Technical report ACI 212-1R-81, ACI 212-2R-81*. Farmington Hills, Michigan: American Concrete Institute.
16. Committee, A. C. I., & 318., (2005). *Building code requirements for structural concrete, Technical report ACI 318-05*. Farmington Hills, Michigan: American Concrete Institute.
17. Committee, A. C. I., & 318., (2011). *Building code requirements for structural concrete and commentary, Technical report ACI 318-11*. Farmington Hills, Michigan: American Concrete Institute.
18. Committee, A. C. I., & 318., (2014). *Building code requirements for structural concrete and commentary, Technical report ACI 318-14*. Farmington Hills, Michigan: American Concrete Institute.
19. Acker, P. (1993). *Creep tests of concrete: Why and how? Creep and shrinkage of concrete*. London: Chapman & Hall.
20. Acker, P., Bazant, Z. P., Chern, J. C., Huet, C., & Wittmann, F. H. (1998). RILEM recommendation on "Measurement of time-dependent strains of concrete". *Materials and Structures*, 31, 507–512 (prepared by Subcommittee 4 of RILEM Committee TC107-CSP).
21. Acker, P., & Ulm, F.-J. (2001). Creep and shrinkage of concrete: Physical origins and practical measurements. *Nuclear Engineering and Design*, 203(2–3), 143–158. <http://www.sciencedirect.com/science/article/pii/S0029549300003046>.
22. Ahlgren, L. (1972). *Moisture fixation in porous building materials, Technical report 36*. Lund Institute of Technology, Lund, Sweden: Division of Building Technology.
23. Ahs, M. S. (2008). Sorption scanning curves for hardened cementitious materials. *Construction and Building Materials*, 22, 2228–2234.
24. Al-Alusi, H. R., Bertero, V. V., & Polivka, M. (1972). *Effects of humidity on the time-dependent behavior of concrete under sustained loading, Technical report UC SESM 72-2*. Structural Engineering Laboratory: University of California at Berkeley, Berkeley, California.
25. Al-Manaseer, A., & Lakshminathan, S. (1999). Comparison between current and future design code models for creep and shrinkage. *Revue Française de Génie Civil*, 3, 39–40.
26. Al-Manaseer, A., & Lam, J.-P. (2005). Statistical evaluation of creep and shrinkage models. *ACI Materials Journal*, 102, 170–176.
27. Al-Omaishi, N., Tadros, M. K., & Seguirant, S. J. (2009). Elasticity modulus, shrinkage, and creep of high-strength concrete as adopted by AASHTO. *PCI Journal*, 54, 44–63.
28. Aleksandrovskii, S. V., & Kolesnikov, N. S. (1971). Nonlinear creep of concrete at stepwise varying stress (in Russian). *Beton i Zhelezobeton*, 17, 24–27.
29. Aleksandrovskii, S. V., & Popkova, O. M. (1970). Nonlinear creep strains of concrete at complex load histories (in Russian). *Beton i Zhelezobeton*, 16, 27–32.
30. Alexander, M. G. (1996). Aggregates and the deformation properties of concrete. *ACI Materials Journal*, 93, 569–577.
31. Aleksandrovskii, S. V. (1959). On thermal and hygrometric properties of concrete related to heat and moisture exchange (in Russian), Trudy Inst. 4, Akad. Stroit. i Arhitektury USSR, Nauchno-Issled. Inst. Betona i Zhelezobetona (NIIZhB), Moscow (pp. 184–214).
32. Alfrey, T., & Doty, P. (1945). The methods of specifying the properties of viscoelastic materials. *Journal of Applied Physics*, 16, 700.
33. Alnaggar, M., Cusatis, G., & Di-Luzio, G. (2013). Lattice discrete particle modeling (LDPM) of alkali silica reaction (ASR) deterioration of concrete structures. *Cement and Concrete Composites*, 41, 45–59.
34. Altoubat, S. A., & Lange, D. A. (2002). The Pickett effect at early age and experiment separating its mechanism in tension. *Materials and Structures*, 35, 211–218.
35. Anderberg, Y., & Thelandersson, S. (1976). Stress and deformation characteristic of concrete at high temperatures, 2. Experimental investigation and material behavior model. *Bulletin* (Vol. 54). Lund Institute of Technology, Lund, Sweden.

36. Ang, A. H.-S., & Tang, W. H. (1975). *Probability concepts in engineering planning and design: Basic principles* (Vol. 1). New York: Wiley.
37. Ang, A. H.-S., & Tang, W. H. (1984). *Probability concepts in engineering planning and design: Decision, risk and reliability* (Vol. 2). New York: Wiley.
38. Antoine, C. (1888). Tensions des vapeurs; nouvelle relation entre les tensions et les températures. *Comptes Rendus des Séances de l'Académie des Sciences*, 107, 681–684, 778–780, 836–837.
39. Arutyunian, N. K. (1952). *Some problems in the theory of creep (in Russian)*, *Tehteorizdat* (p. 1966). Moscow. Engl. transl: Pergamon Press.
40. Asaro, R. J., & Rice, J. R. (1977). Strain localization in ductile single crystals. *Journal of the Mechanics and Physics of Solids*, 33, 309–338.
41. Aschl, H., & Stöckl, S. (1981). Wärmedehnung, E-Modul, Schwinden, Kriechen und Restfestigkeit von Reaktorbeton unter einachsiger Belastung und erhöhten Temperaturen, Heft 324, Deutscher Ausschuss für Stahlbeton.
42. Ashby, M. F., & Hallam, S. D. (1986). The failure of brittle solids containing small cracks under compressive stress states. *Acta Metallurgica et Materialia*, 34, 497–510.
43. ASTM C469/C469M-14. (2014). *Standard test method for static modulus of elasticity and Poisson's ratio of concrete in compression*. West Conshohocken, PA: ASTM International.
44. ASTM C512-87. (1994). *Standard test method for creep of concrete in compression*. West Conshohocken, PA: ASTM International.
45. Ayano, T., & Sakata, K. (1997). Concrete shrinkage strain under the actual atmosphere. *Proceedings of Japan Concrete Institute*, 19, 709–714.
46. Aziz, M. J., Sabin, P. C., & Lu, G. Q. (1991). The activation strain tensor: Nonhydrostatic stress effects on crystal growth kinetics. *Physical Reviews B*, 41, 9812–9816.
47. Balbuena, P. B., Berry, D., & Gubbins, K. E. (1993). Solvation pressures for simple fluids in micropores. *Journal of Physical Chemistry*, 97, 937–943.
48. Bamonte, P., & Gambarova, P. G. (2012). A study on the mechanical properties of self-compacting concrete at high temperature and after cooling. *Materials and Structures*, 45, 1375–1387.
49. Barenblatt, G. I. (1959). The formation of equilibrium cracks during brittle fracture. General ideas and hypothesis, axially symmetric cracks. *Prikladnaja Matematika i Mechanika*, 23, 434–444.
50. Barenblatt, G. I. (1962). The mathematical theory of equilibrium of cracks in brittle fracture. *Advances in Applied Mechanics*, 7, 55–129.
51. Barenblatt, G. I. (1979). *Similarity, self-similarity and intermediate asymptotics*. New York: Consultants Bureau.
52. Barenblatt, G. I. (1996). *Scaling, self-similarity and intermediate asymptotics*. Cambridge: Cambridge University Press.
53. Barenblatt, G. I. (2003). *Scaling*. Cambridge: Cambridge University Press.
54. Baroghel-Bouny, V. (1994). *Characterization of cement pastes and concretes—methods, analysis, interpretations, in French*. Paris: LCPC.
55. Baroghel-Bouny, V. (2007). Water vapour sorption experiments on hardened cementitious materials. Part I. : Essential tool for analysis of hygral behaviour and its relation to pore structure. *Cement and Concrete Research*, 37, 414–437.
56. Baroghel-Bouny, V. (2007). Water vapour sorption experiments on hardened cementitious materials. Part II.: Essential tool for assessment of transport properties and for durability prediction. *Cement and Concrete Research*, 37, 438–454.
57. Baroghel-Bouny, V., Mainguy, M., Lassabatere, T., & Coussy, O. (1999). Characterization and identification of equilibrium and transfer moisture properties for ordinary and high-performance cementitious materials. *Cement and Concrete Research*, 29, 1225–1238.
58. Bary, B. (1996). Etude du couplage hydraulique-mécanique dans le béton endommagé. Ph.D. thesis, Laboratoire de Mécanique et Technologie, E.N.S. de Cachan, C.N.R.S., Université Paris 6.

59. Baston, G., Ball, C., Bailey, L., Lenders, E., & Hooks, J. (1972). Flexural fatigue strength of steel fibre reinforced concrete beams. *ACI Journal*, 69, 673–677.
60. Batdorf, S. B., & Budianski, B. (1949). *A mathematical theory of plasticity based on the concept of slip*, Technical note 1871. Washington, D.C.: National Advisory Committee for Aeronautics.
61. Bažant, Z. P. (1961). Effect of creep and shrinkage in statically indeterminate structures with concrete of nonuniform age (in Czech). *Inženýrské Stavby*, 9, 462–532.
62. Bažant, Z. P. (1962). Theory of creep and shrinkage of concrete in nonhomogeneous structures and cross sections (in Czech with English summary). *Stavebnický Časopis* (SAV, Bratislava), 10, 552–576.
63. Bažant, Z. P. (1964). Approximate methods of analysis of creep and shrinkage of complex nonhomogeneous structures and use of computers (in Czech with English summary). *Stavebnický Časopis* (SAV, Bratislava), 12, 414–431.
64. Bažant, Z. P. (1964). Time-interaction of statically indeterminate structures and subsoil (in Czech with English summary). *Stavebnický Časopis* (SAV, Bratislava), 12, 542–558.
65. Bažant, Z. P. (1964). Die Berechnung des Kriechens und Schwindens nicht-homogener Betonkonstruktionen. In *Proceedings of the 7th Congress, International Association for Bridge and Structural Engineers, Rio de Janeiro* (pp. 887–897).
66. Bažant, Z. P. (1966). *Creep of concrete in structural analysis (in Czech)*. Prague: State Publishers of Technical Literature (SNTL).
67. Bažant, Z. P. (1966). Phenomenological theories for creep of concrete based on rheological models. *Acta Technica ČSAV*, 11, 82–109.
68. Bažant, Z. P. (1967). Linear creep problems solved by a succession of generalized thermoelasticity problems. *Acta Technica ČSAV*, 12, 581–594.
69. Bažant, Z. P. (1968). Langzeitige Durchbiegungen von Spannbetonbrücken infolge des Schwingkriechens unter Verkehrslasten. *Beton und Stahlbetonbau*, 63, 282–285.
70. Bažant, Z. P. (1968). On causes of excessive long-time deflections of prestressed concrete bridges. Creep under repeated live load (in Czech). *Inženýrské Stavby*, 16, 317–320.
71. Bažant, Z. P. (1970). Constitutive equation for concrete creep and shrinkage based on thermodynamics of multi-phase systems. *Materials and Structures*, 3, 3–36.
72. Bažant, Z. P. (1970). Delayed thermal dilatations of cement paste and concrete due to mass transport. *Nuclear Engineering and Design*, 24, 308–318.
73. Bažant, Z. P. (1970). Numerical analysis of creep of an indeterminate composite beam. *Journal of Applied Mechanics, ASME*, 37, 1161–1164.
74. Bažant, Z. P. (1971). Numerically stable algorithm with increasing time steps for integral-type ageing creep. In *Proceedings of the 1st International Conference on Structural Mechanics in Reactor Technology* (Vol. 3, p. H2/3). Berlin.
75. Bažant, Z. P. (1972). Numerical determination of long-range stress history from strain history in concrete. *Materials and Structures*, 5, 135–141.
76. Bažant, Z. P. (1972). Prediction of concrete creep effects using age-adjusted effective modulus method. *ACI Journal*, 69, 212–217.
77. Bažant, Z. P. (1972). Thermodynamics of hindered adsorption with application to cement paste and concrete. *Cement and Concrete Research*, 2, 1–16.
78. Bažant, Z. P. (1972). Thermodynamics of interacting continua with surfaces and creep analysis of concrete structures. *Nuclear Engineering and Design*, 20, 477–505.
79. Bažant, Z. P. (1975). Pore pressure, uplift and failure analysis of concrete dams. In D. J. Naylor, K. G. Stagg, & O. C. Zienkiewicz (Eds.), *Criteria and assumptions for numerical analysis of dams* (pp. 781–808). Swansea: Department of Civil Engineering, University of Wales.
80. Bažant, Z. P. (1975). Theory of creep and shrinkage in concrete structures: A précis of recent developments. In S. Nemat-Nasser (Ed.), *Mechanics today* (Vol. 2, pp. 1–93). Oxford: Pergamon Press.
81. Bažant, Z. P. (1976). Instability, ductility, and size effect in strain-softening solids. *Journal of the Engineering Mechanics Division, ASCE*, 102, 331–344.

82. Bažant, Z. P. (1977). Viscoelasticity of porous solidifying material—concrete. *Journal of the Engineering Mechanics Division, ASCE*, 103, 1049–1067.
83. Bažant, Z. P. (1979). Physical model for steel corrosion in concrete sea structures—theory. *Journal of the Engineering Mechanics Division, ASCE*, 105, 1137–1153.
84. Bažant, Z. P. (1979). Thermodynamics of solidifying or melting viscoelastic material. *Journal of the Engineering Mechanics Division, ASCE*, 105, 933–952.
85. Bažant, Z. P. (1982). Crack band model for fracture of geomaterials. In Z. Eisenstein (Ed.), *Proceedings of the 4th International Conference on Numerical Methods in Geomechanics* (Vol. 3, pp. 1137–1152). Edmonton: University of Alberta.
86. Bažant, Z. P. (1982). Mathematical models for creep and shrinkage of concrete. In Z. P. Bažant & F. H. Wittmann (Eds.), *Creep and shrinkage in concrete structures* (pp. 163–256). New York: Wiley.
87. Bažant, Z. P. (1982). Mathematical models of nonlinear behavior and fracture of concrete. In L. E. Schwer (Ed.), *Nonlinear numerical analysis of reinforced concrete* (pp. 1–25). New York: American Society of Mechanical Engineers.
88. Bažant, Z. P. (1983). Mathematical model for creep and thermal shrinkage of concrete at high temperature. *Nuclear Engineering and Design*, 76, 183–191.
89. Bažant, Z. P. (1984). Microplane model for strain controlled inelastic behavior. In C. S. Desai & R. H. Gallagher (Eds.), *Mechanics of engineering materials* (pp. 45–59). London: Wiley.
90. Bažant, Z. P. (1984). Size effect in blunt fracture: Concrete, rock, metal. *Journal of Engineering Mechanics, ASCE*, 110, 518–535.
91. Bažant, Z. P. (1985). Mechanics of fracture and progressive cracking in concrete structures. In G. C. Sih & A. DiTommaso (Eds.), *Fracture mechanics of concrete: Structural application and numerical calculation* (pp. 1–94). Dordrecht and Boston: Martinus Nijhoff.
92. Bažant, Z. P. (1986). Response of aging linear systems to ergodic random input. *Journal of Engineering Mechanics, ASCE*, 112, 322–342.
93. Bažant, Z. P. (1987). Matrix force-displacement relations in aging viscoelasticity. *Journal of Engineering Mechanics, ASCE*, 113, 1235–1243.
94. Bažant, Z. P. (1988). Material models for structural creep analysis. In Z. P. Bažant (Ed.), *Mathematical modeling of creep and shrinkage of concrete* (pp. 99–215). Chichester and New York: Wiley (RILEM Committee TC-69 2).
95. Bažant, Z. P. (1993). Current status and advances in the theory of creep and interaction with fracture. In Z. P. Bažant & I. Carol (Eds.), *Creep and shrinkage of concrete, Proceedings of ConCreep-5, Barcelona* (pp. 291–307). London: E & FN Spon.
96. Bažant, Z. P. (1995). Creep and damage in concrete. In J. Skalny & S. Mindess (Eds.), *Materials science of concrete IV* (pp. 355–389). Westerville, OH: The American Ceramic Society.
97. Bažant, Z. P. (1997). Analysis of pore pressure, thermal stress and fracture in rapidly heated concrete. In L. Phan (Ed.), *Proceedings of the International Workshop on Fire Performance of High-Strength Concrete, NIST Special Publication* (Vol. 919, pp. 155–164), National Institute of Standards and Technology, Gaithersburg, Maryland.
98. Bažant, Z. P. (2000). Criteria for rational prediction of creep and shrinkage of concrete. In A. Al-Manaseer (Ed.), *Adam Neville symposium: Creep and shrinkage—structural design effects* (pp. 237–260). Farmington Hills, Michigan: American Concrete Institute (ACI SP-194).
99. Bažant, Z. P. (2004). Discussion of "Shear database for reinforced concrete members without shear reinforcement," by K.-H. Reineck, D.A. Kuchma, K.S. Kim and S. Marx. *ACI Structural Journal*, 101, 139–140.
100. Bažant, Z. P. (2005). *Scaling of structural strength* (2nd ed.). Amsterdam: Elsevier.
101. Bažant, Z. P., Adley, M. D., Carol, I., Jirásek, M., Akers, S. A., Rohani, B., et al. (2000). Large-strain generalization of microplane model for concrete and applications. *Journal of Engineering Mechanics, ASCE*, 126, 971–980.
102. Bažant, Z. P., Asghari, A. A., & Schmidt, J. (1976). Experimental study of creep of hardened Portland cement paste at variable water content. *Materials and Structures*, 9, 279–290.

103. Bažant, Z. P., Bai, S.-P., & Gettu, R. (1993). Fracture of rock: Effect of loading rate. *Engineering Fracture Mechanics*, 45, 393–398.
104. Bažant, Z. P., & Baweja, S. (1995). Creep and shrinkage prediction model for analysis and design of concrete structures – model B3. *Materials and Structures*, 28, 357–365. RILEM recommendation, in collaboration with RILEM Committee TC 107-GCS, with Errata, Vol. 29 (March 1996), p. 126.
105. Bažant, Z. P., & Baweja, S. (1995). Justification and refinements of model B3 for concrete creep and shrinkage. 1. *Statistics and sensitivity*. *Materials and Structures*, 28, 415–430.
106. Bažant, Z. P., & Baweja, S. (1996). Short form of creep and shrinkage prediction model B3 for structures of medium sensitivity. *Materials and Structures*, 29, 587–593 (Addendum to RILEM recommendation TC 107-GCS).
107. Bažant, Z. P., & Baweja, S. (2000). Creep and shrinkage prediction model for analysis and design of concrete structures: Model B3. In A. Al-Manaseer (Ed.), *Adam Neville symposium: Creep and shrinkage—structural design effects* (pp. 1–83). Farmington Hills, Michigan: American Concrete Institute (ACI SP-194).
108. Bažant, Z. P., & Baweja, S. (2000). Creep and shrinkage prediction model for analysis and design of concrete structures: Model B3—short form. In A. Al-Manaseer (Ed.), *Adam Neville symposium: Creep and shrinkage—structural design effects* (pp. 85–100). Farmington Hills, Michigan: American Concrete Institute (ACI SP-194).
109. Bažant, Z. P., & Bazant, M. Z. (2012). Theory of sorption hysteresis in nanoporous solids: Part I. Snap-through instabilities. *Journal of the Mechanics and Physics of Solids*, 60, 1644–1659.
110. Bažant, Z. P., & Buyukozturk, O. (1988). Creep analysis of structures. In Z. P. Bažant (Ed.), *Mathematical modeling of creep and shrinkage of concrete* (pp. 217–273). Chichester and New York: Wiley (RILEM Committee TC-69 3).
111. Bažant, Z. P., & Rahimi-Aghdam, S. (2018). Century-long durability of concrete structures: Expansiveness of hydration and chemo-mechanics of autogenous shrinkage and swelling. Proc. EURO-C 2018, held in Bad Hofgastein, publ. by ASCE, in press.
112. Bažant, Z. P., Caner, F., Adley, M. D., & Akers, S. (2000). Fracturing rate effect and creep in microplane model for dynamics. *Journal of Engineering Mechanics, ASCE*, 126, 962–970.
113. Bažant, Z. P., Caner, F. C., Carol, I., Adley, M. D., & Akers, S. (2000). Microplane model M4 for concrete: I. Formulation with work-conjugate deviatoric stress. *Journal of Engineering Mechanics, ASCE*, 126, 944–953.
114. Bažant, Z. P., Carreira, D., & Walser, A. (1975). Creep and shrinkage in reactor containment shells. *Journal of the Structural Division, ASCE*, 101, 2117–2131.
115. Bažant, Z. P., & Cedolin, L. (1991). *Stability of structures*. New York and Oxford: Oxford University Press.
116. Bažant, Z. P., & Chern, J.-C. (1984). Bayesian statistical prediction of concrete creep and shrinkage. *ACI Journal*, 81, 319–330.
117. Bažant, Z. P., & Chern, J. C. (1985). Concrete creep at variable humidity: Constitutive law and mechanism. *Materials and Structures*, 18, 1–20.
118. Bažant, Z. P., & Chern, J. C. (1985). Log-double power law for concrete creep. *Journal of the American Concrete Institute*, 82, 665–675.
119. Bažant, Z. P., & Chern, J. C. (1985). Strain-softening with creep and exponential algorithm. *Journal of Engineering Mechanics, ASCE*, 111, 391–415.
120. Bažant, Z. P., & Chern, J. C. (1987). Stress-induced thermal and shrinkage strains in concrete. *Journal of Engineering Mechanics, ASCE*, 113, 1493–1511.
121. Bažant, Z. P., Chern, J. C., Abrams, M. S., & Gillen, M. P. (1992). *Normal and refractory concretes for LMFBR applications, Technical report EPRI-NP-2437*. Palo Alto, California: Electric Power Research Institute.
122. Bažant, Z. P., Şener, S., & Kim, J.-K. (1987). Effect of cracking on drying permeability and diffusivity of concrete. *ACI Materials Journal*, 84, 351–357.
123. Bažant, Z. P., Cusatis, G., & Cedolin, L. (2004). Temperature effect on concrete creep modeled by microprestress-solidification theory. *Journal of Engineering Mechanics, ASCE*, 130, 691–699.

124. Bažant, Z. P., & Donmez, A. (2016). Extrapolation of short-time drying shrinkage tests based on measured diffusion size effect: Concept and reality. *Materials and Structures*, *49*, 411–420.
125. Bažant, Z. P., Donmez, A., Masoero, E., & Rahimi Aghdam, S. (2015). Interaction of concrete creep, shrinkage and swelling with water, hydration and damage: Nano-macro-chemo. *ConCreep-10: Mechanics and physics of creep, shrinkage, and durability of concrete and concrete structures*. Vienna.
126. Bažant, Z. P. (Ed.). (1988). *Mathematical modeling of creep and shrinkage of concrete*. Chichester and New York: Wiley.
127. Bažant, Z. P., & Gambarova, P. (1984). Crack shear in concrete: Crack band microplane model. *Journal of Structural Engineering, ASCE*, *110*, 2015–2035.
128. Bažant, Z. P., & Gettu, R. (1992). Rate effects and load relaxation: Static fracture of concrete. *ACI Materials Journal*, *89*, 456–468.
129. Bažant, Z. P., Gu, W. H., & Faber, K. T. (1995). Softening reversal and other effects of a change in loading rate on fracture of concrete. *ACI Materials Journal*, *92*, 3–9.
130. Bažant, Z. P., Hauggaard, A. B., & Baweja, S. (1996). Microprestress solidification theory for aging and drying creep of concrete. In A. Gerdes (Ed.), *Advances in building and materials science* (pp. 111–130). Freiburg, Germany: Aedificatio Publishers.
131. Bažant, Z. P., Hauggaard, A. P., & Baweja, S. (1997). Microprestress solidification theory for concrete creep. II: Algorithm and verification. *Journal of Engineering Mechanics, ASCE*, *123*, 1195–1201.
132. Bažant, Z. P., Hauggaard, A. P., Baweja, S., & Ulm, F. J. (1997). Microprestress solidification theory for concrete creep. I: Aging and drying effects. *Journal of Engineering Mechanics, ASCE*, *123*, 1188–1194.
133. Bažant, Z. P., Havlásek, P., & Jirásek, M. (2014). Microprestress-solidification theory: Modeling of size effect on drying creep. *Computational modelling of concrete structures – proceedings of EURO-C 2014*. Leiden: CRC Press/Balkema.
134. Bažant, Z. P., & Hubler, M. H. (2014). Theory of cyclic creep of concrete based on Paris law for fatigue growth of subcritical microcracks. *Journal of the Mechanics and Physics of Solids*, *63*, 187–200.
135. Bažant, Z. P., Hubler, M. H., & Jirásek, M. (2013). Improved estimation of long-term relaxation function from compliance function of aging concrete. *Journal of Engineering Mechanics, ASCE*, *139*, 146–152.
136. Bažant, Z. P., Hubler, M. H., & Wendner, R. (2015). Model B4 for creep, drying shrinkage and autogenous shrinkage of normal and high-strength concretes with multi-decade applicability. *Materials and Structures*, *48*, 753–770 (RILEM Technical Committee TC-242-MDC).
137. Bažant, Z. P., Hubler, M. H., & Yu, Q. (2011). Excessive creep deflections: An awakening. *ACI Concrete International*, *33*, 44–46.
138. Bažant, Z. P., Hubler, M., & Yu, Q. (2011). Pervasiveness of excessive deflections of segmental bridges: Wake-up call for creep. *ACI Structural Journal*, *108*, 766–774.
139. Bažant, Z. P., & Huet, C. (1999). Thermodynamic functions for ageing viscoelasticity: Integral form without internal variables. *International Journal of Solids and Structures*, *36*, 3993–4016.
140. Bažant, Z. P., & Jirásek, M. (1993). R-curve modeling of rate and size effects in quasibrittle fracture. *International Journal of Fracture*, *62*, 355–373.
141. Bažant, Z. P., & Jirásek, M. (2002). Nonlocal integral formulations of plasticity and damage: Survey of progress. *Journal of Engineering Mechanics, ASCE*, *128*, 1119–1149.
142. Bažant, Z. P., & Kaplan, M. F. (1996). *Concrete at high temperatures: Material properties and mathematical models*. London: Longman (Addison-Wesley).
143. Bažant, Z. P., & Kazemi, M. T. (1990). Determination of fracture energy, process zone length and brittleness number from size effect, with application to rock and concrete. *International Journal of Fracture*, *44*, 111–131.
144. Bažant, Z. P., Kim, J.-J. H., & Brocca, M. (1999). Finite strain tube-squash test of concrete at high pressures and shear angles up to 70 degrees. *ACI Materials Journal*, *96*, 580–592.

145. Bažant, Z. P., & Kim, J.-K. (1989). Segmental box girder: Deflection probability and Bayesian updating. *Journal of Structural Engineering, ASCE*, *115*, 2528–2547.
146. Bažant, Z. P., & Kim, J.-K. (1991). Consequences of diffusion theory for shrinkage of concrete. *Materials and Structures*, *24*, 323–326.
147. Bažant, Z. P., & Kim, J.-K. (1991). Segmental box girder: Effect of spatial random variability of material on deflections. *Journal of Structural Engineering, ASCE*, *117*, 2542–2547.
148. Bažant, Z. P., & Kim, J.-K. (1992). Improved prediction model for time dependent deformations of concrete: III. Creep at drying, IV. Temperature effects. *Materials and Structures*, *25*(21–28), 84–94.
149. Bažant, Z. P., & Kim, J.-K. (1992). Improved prediction model for time-dependent deformations of concrete: V. Cyclic load and cyclic humidity. *Materials and Structures*, *25*, 163–169.
150. Bažant, Z. P., Kim, J.-K., & Jeon, S.-E. (2003). Cohesive fracturing and stresses caused by hydration heat in massive concrete wall. *Journal of Engineering Mechanics, ASCE*, *129*, 21–30.
151. Bažant, Z. P., Kim, J.-K., & Panula, L. (1991). Improved prediction model for time dependent deformations of concrete: I. Shrinkage, II. Basic creep. *Materials and Structures*, *24*(327–345), 409–442.
152. Bažant, Z. P., & Kim, S.-S. (1978). Can the creep curves for different loading ages diverge? *Cement and Concrete Research*, *8*, 601–612.
153. Bažant, Z. P., & Kim, S. S. (1979). Approximate relaxation function for concrete. *Journal of the Structural Division, ASCE*, *105*, 2695–2705.
154. Bažant, Z. P., Kim, S. S., & Meiri, S. (1979). Triaxial moisture-controlled creep tests of hardened cement paste at high temperature. *Materials and Structures*, *12*, 447–456.
155. Bažant, Z. P., Křístek, V., & Vitek, J. L. (1992). Drying and cracking effects in box-girder bridge segment. *Journal of Structural Engineering, ASCE*, *118*, 305–321.
156. Bažant, Z. P., & Le, J.-L. (2009). Nano-mechanics based modeling of lifetime distribution of quasibrittle structures. *Engineering Failure Analysis*, *16*, 2521–2529.
157. Bažant, Z. P., & Le, J.-L. (2017). *Probabilistic mechanics of quasibrittle structures: Strength lifetime and size effect*. Cambridge: Cambridge University Press.
158. Bažant, Z. P., Le, J.-L., & Bazant, M. Z. (2008). Size effect on strength and lifetime distributions of quasibrittle structures implied by interatomic bond break activation. In J. Pokluda (Ed.), *Proceedings of the 17th European Conference on Fracture (ECF-17)* (pp. 78–92), Technical University of Brno, Brno, Czech Republic.
159. Bažant, Z. P., Le, J.-L., & Bazant, M. Z. (2009). Scaling of strength and lifetime probability distributions of quasibrittle structures based on atomistic fracture mechanics. *Proceedings of the National Academy of Sciences of the United States of America*, *106*, 11484–11489.
160. Bažant, Z. P., & Li, G.-H. (2008). Comprehensive database on concrete creep and shrinkage. *ACI Materials Journal*, *106*, 635–638.
161. Bažant, Z. P., & Li, G.-H. (2008). Unbiased statistical comparison of creep and shrinkage prediction models. *ACI Materials Journal*, *610–621*.
162. Bažant, Z. P., & Li, Y.-N. (1997). Cohesive crack model with rate-dependent crack opening and viscoelasticity: I. Mathematical model and scaling. *International Journal of Fracture*, *86*, 247–265.
163. Bažant, Z. P., & Liu, K.-L. (1985). Random creep and shrinkage in structures: Sampling. *Journal of Structural Engineering, ASCE*, *111*, 1113–1134.
164. Bažant, Z. P., & Moschovidis, Z. (1973). Surface diffusion theory for the drying creep effect in Portland cement paste and concrete. *Journal of the American Ceramic Society*, *56*, 235–241.
165. Bažant, Z. P., & Najjar, L. J. (1971). Drying of concrete as a nonlinear diffusion problem. *Cement and Concrete Research*, *1*, 461–473.
166. Bažant, Z. P., & Najjar, L. J. (1972). Nonlinear water diffusion in nonsaturated concrete. *Materials and Structures*, *5*, 3–20.
167. Bažant, Z. P., & Najjar, L. J. (1973). Comparison of approximate linear methods for concrete creep. *Journal of the Structural Division, ASCE*, *99*, 1851–1874.

168. Bažant, Z. P., & Oh, B.-H. (1983). Crack band theory for fracture of concrete. *Materials and Structures*, 16, 155–177.
169. Bažant, Z. P., & Oh, B.-H. (1985). Microplane model for progressive fracture of concrete and rock. *Journal of Engineering Mechanics, ASCE*, 111, 559–582.
170. Bažant, Z. P., & Ohtsubo, H. (1977). Stability conditions for propagation of a system of cracks in a brittle solid. *Mechanics Research Communications*, 4, 353–366.
171. Bažant, Z. P., Ohtsubo, H., & Aoh, K. (1979). Stability and post-critical growth of a system of cooling and shrinkage cracks. *International Journal of Fracture*, 15, 443–456.
172. Bažant, Z. P., & Osman, E. (1975). On the choice of creep function for standard recommendations on practical analysis of structures. *Cement and Concrete Research*, 5, 129–137. Discussion & reply 5, 631–641; 6 (1976) 149–157; 7 (1977) 119–130; 8 (1978) 129–130.
173. Bažant, Z. P., & Osman, E. (1976). Double power law for basic creep of concrete. *Materials and Structures*, 9, 3–11.
174. Bažant, Z. P., Osman, E., & Thonguthai, W. (1976). Practical formulation of shrinkage and creep in concrete. *Materials and Structures*, 9, 395–406.
175. Bažant, Z. P., & Panula, L. (1978). Practical prediction of time dependent deformations of concrete: I. Shrinkage, II. Basic creep, III. Drying creep, IV. Temperature effect on basic creep. *Materials and Structures*, 11, 307–316, 317–328, 415–424, 425–434.
176. Bažant, Z. P., & Panula, L. (1979). Practical prediction of time dependent deformations of concrete: V. Temperature effect on drying creep, VI. Cyclic creep, nonlinearity and statistical scatter. *Materials and Structures*, 12(169–174), 175–183.
177. Bažant, Z. P., & Panula, L. (1980). Creep and shrinkage characterization for prestressed concrete structures. *Journal of the Prestressed Concrete Institute*, 25, 86–122.
178. Bažant, Z. P., & Planas, J. (1998). *Fracture and size effect in concrete and other quasibrittle materials*. Boca Raton: CRC Press.
179. Bažant, Z. P., & Prasannan, S. (1989). Solidification theory for concrete creep: I. Formulation. *Journal of Engineering Mechanics, ASCE*, 115, 1691–1703.
180. Bažant, Z. P., & Prasannan, S. (1989). Solidification theory for concrete creep: II. Verification and application. *Journal of Engineering Mechanics, ASCE*, 115, 1704–1725.
181. Bažant, Z. P., & Prat, P. (1988). Microplane model for brittle plastic materials. I: Theory, II: Verification. *Journal of Engineering Mechanics, ASCE*, 114, 1672–1702.
182. Bažant, Z. P., & Prat, P. C. (1987). Creep of anisotropic clay: New microplane model. *Journal of Engineering Mechanics, ASCE*, 113, 1000–1064.
183. Bažant, Z. P., & Prat, P. C. (1988). Effect of temperature and humidity on fracture energy of concrete. *ACI Materials Journal*, 85, 262–271.
184. Bažant, Z. P., & Raftshol, W. J. (1982). Effect of cracking in drying and shrinkage specimens. *Cement and Concrete Research*, 12, 209–226.
185. Bažant, Z. P., & Rahimi-Aghdam, S. (2017). Diffusion-controlled and creep-mitigated ASR damage via microplane model: I. Mass concrete. *Journal of Engineering Mechanics, ASCE*, 143, 04016108-1–04016108-10.
186. Bažant, Z. P., & Steffens, A. (2000). Mathematical model for kinetics of alkali-silica reaction in concrete. *Cement and Concrete Research*, 30, 419–428.
187. Bažant, Z. P., & Thonguthai, W. (1976). Optimization check of certain practical formulations for concrete creep. *Materials and Structures*, 9, 91–98.
188. Bažant, Z. P., & Thonguthai, W. (1978). Pore pressure and drying of concrete at high temperature. *Journal of the Engineering Mechanics Division, ASCE*, 104, 1058–1080.
189. Bažant, Z. P., & Thonguthai, W. (1979). Pore pressure in heated concrete walls—theoretical prediction. *Magazine of Concrete Research*, 31, 67–76.
190. Bažant, Z. P., & Wahab, A. B. (1979). Instability and spacing of cooling or shrinkage cracks. *Journal of the Engineering Mechanics Division, ASCE*, 105, 873–889.
191. Bažant, Z. P., & Wahab, A. B. (1980). Stability of parallel cracks in solids reinforced by bars. *International Journal of Solids and Structures*, 16, 97–106.
192. Bažant, Z. P., & Wang, T.-S. (1984). Spectral analysis of random shrinkage stresses in concrete. *Journal of Engineering Mechanics, ASCE*, 110, 173–186.

193. Bažant, Z. P., & Wang, T.-S. (1984). Spectral finite element analysis of random shrinkage in concrete. *Journal of Structural Engineering, ASCE*, *110*, 2196–2211.
194. Bažant, Z. P., & Wang, T.-S. (1985). Practical prediction of cyclic humidity effect in creep and shrinkage of concrete. *Materials and Structures*, *18*, 247–252.
195. Bažant, Z. P., Wendner, R., Boumakis, G., & Hubler, M. H. (2015). Discussion of "Statistical comparisons of creep and shrinkage prediction models using RILEM and NU-ITI databases" by A. Al-Manaseer and A. Prado (ACI Materials Journal, 111(1–6), 1–4, Jan.-Dec. 2014, MS No. M-2013-147.R1). *ACI Materials Journal*, *112*, 829–831.
196. Bažant, Z. P., & Wittmann, F. H. (Eds.). (1982). *Creep and shrinkage of concrete structures*. London: Wiley.
197. Bažant, Z. P., Wittmann, F. H., Kim, J.-K., & Alou, F. (1987). Statistical extrapolation of shrinkage data—Part I: Regression. *ACI Materials Journal*, *84*, 20–34.
198. Bažant, Z. P., & Wu, S. T. (1974). Creep and shrinkage law of concrete at variable humidity. *Journal of the Engineering Mechanics Division, ASCE*, *100*, 1183–1209.
199. Bažant, Z. P., & Wu, S. T. (1974). Rate-type creep law of aging concrete based on Maxwell chain. *Materials and Structures*, *7*, 45–60.
200. Bažant, Z. P., & Xi, Y. (1993). New test method to separate microcracking from drying creep: Curvature creep at equal bending moments and various axial forces. In Z. P. Bažant & I. Carol (Eds.), *Creep and shrinkage of concrete* (pp. 77–82). London: E & FN Spon.
201. Bažant, Z. P., & Xi, Y. (1994). Drying creep of concrete: Constitutive model and new experiments separating its mechanisms. *Materials and Structures*, *27*, 3–14.
202. Bažant, Z. P., & Xi, Y. (1995). Continuous retardation spectrum for solidification theory of concrete creep. *Journal of Engineering Mechanics, ASCE*, *121*, 281–288.
203. Bažant, Z. P., Xi, Y., & Baweja, S. (1993). Improved prediction model for time-dependent deformations of concrete: Part 7: Short form of BP-KX model, statistics and extrapolation of short-time data. *Materials and Structures*, *26*, 567–574.
204. Bažant, Z. P., & Xiang, Y. (1997). Size effect in compression fracture: Splitting crack band propagation. *Journal of Engineering Mechanics, ASCE*, *123*, 162–172.
205. Bažant, Z. P., Xiang, Y., & Prat, P. C. (1996). Microplane model for concrete. I: Stress-strain boundaries and finite strain. *Journal of Engineering Mechanics, ASCE*, *122*, 245–254.
206. Bažant, Z. P., & Xu, K. (1991). Size effect in fatigue fracture of concrete. *ACI Materials Journal*, *88*, 390–399.
207. Bažant, Z. P., & Yu, Q. (2013). Relaxation of prestressing steel at varying strain and temperature: Viscoplastic constitutive relation. *Journal of Engineering Mechanics, ASCE*, *139*, 814–823.
208. Bažant, Z. P., Yu, Q., Hubler, M., Křístek, V., & Bittnar, Z. (2011). Wake-up call for creep, myth about size effect and black holes in safety: What to improve in *fib* model code draft. *Concrete Engineering for Excellence and Efficiency, Proceedings of the fib Symposium, Prague*. (pp. 731–746).
209. Bažant, Z. P., Yu, Q., & Li, G.-H. (2012). Excessive long-time deflections of prestressed box girders: I. Record-span bridge in Palau and other paradigms. *Journal of Structural Engineering, ASCE*, *138*, 676–686.
210. Bažant, Z. P., Yu, Q., & Li, G.-H. (2012). Excessive long-time deflections of prestressed box girders: II. Numerical analysis and lessons learned. *Journal of Structural Engineering, ASCE*, *138*, 687–696.
211. Bažant, Z. P., Yu, Q., Li, G.-H., Klein, G., & Křístek, V. (2010). Excessive deflections of record-span prestressed box girder: Lessons learned from the collapse of the Koror-Babeldaob bridge in Palau. *ACI Concrete International*, *32*, 44–52.
212. Bažant, Z. P., & Zebich, S. (1983). Statistical linear regression analysis of prediction models for creep and shrinkage. *Cement and Concrete Research*, *13*, 869–876.
213. Bažant, Z. P., & Zi, G. (2003). Decontamination of radionuclides from concrete by microwave heating: I. Theory, II. Computations. *Journal of the Engineering Mechanics Division, ASCE*, *129*, 777–784, 785–792.

214. Bažant, Z. P., & Zi, G. (2003). Microplane constitutive model for porous isotropic rocks. *International Journal for Numerical and Analytical Methods in Geomechanics*, 27(1), 25–47. <https://doi.org/10.1002/nag.261>.
215. Baweja, S., Dvorak, G. J., & Bažant, Z. P. (1998). Triaxial composite model for basic creep of concrete. *Journal of Engineering Mechanics, ASCE*, 124, 959–966.
216. Bazant, M. Z., & Bažant, Z. P. (2012). Theory of sorption hysteresis in nanoporous solids: Part II. Molecular condensation. *Journal of the Mechanics and Physics of Solids*, 60, 1660–1675.
217. Bažant, Z. P., & Caner, F. C. (2005). Microplane model M5 with kinematic and static constraints for concrete fracture and anelasticity. I: Theory. *Journal of Engineering Mechanics*, 131(1), 31–40. <http://ascelibrary.org/doi/10.1061/%28ASCE%290733-9399%282005%29131%3A1%2831%29>.
218. Bažant, Z. P., & Caner, F. C. (2013). Comminution of solids caused by kinetic energy of high shear strain rate, with implications for impact, shock, and shale fracturing. *Proceedings of the National Academy of Sciences of the United States of America*, 110(48), 19291–19294. <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3845168&tool=pmcentrez&rendertype=abstract>.
219. Bažant, Z. P., & Caner, F. C. (2014). Impact comminution of solids due to local kinetic energy of high shear strain rate: I. Continuum theory and turbulence analogy. *Journal of the Mechanics and Physics of Solids*, 64, 223–235. <http://www.sciencedirect.com/science/article/pii/S0022509613002421>.
220. Bažant, Z. P., & Kim, J. (1986). Creep of anisotropic clay: Microplane model. *Journal of Geotechnical Engineering*, 112(4), 458–475. <https://ascelibrary.org/doi/10.1061/%28ASCE%290733-9410%281986%29112%3A4%28458%29>.
221. Bear, J. (1979). *Dynamics in fluids in porous media*. New York: Dover.
222. Bear, J., & Bachmat, Y. (1990). *Introduction to modeling of transport in porous media*. Dordrecht: Kluwer.
223. Bechyně, S. (1959). *Concrete construction. I. Concrete technology (in Czech)* (pp. 122–136). Prague: SNTL.
224. Beck, J. V., & Arnold, K. J. (1977). *Parameter estimation in engineering science*. New York: Wiley.
225. Behnood, A., & Ghandehari, M. (2009). Comparison of compressive and splitting tensile strength of high-strength concrete with and without polypropylene fibers heated to high temperatures. *Fire Safety Journal*, 44(8), 1015–1022. <http://www.sciencedirect.com/science/article/pii/S0379711209000940>.
226. Belie, N. D., Kratky, J., & Vlierberghe, S. V. (2010). Influence of pozzolans and slag on the microstructure of partially carbonated cement paste by means of water vapour and nitrogen sorption experiments and BET calculations. *Cement and Concrete Research*, 40, 1723–1733.
227. Ben Haha, M. (2006). Mechanical effects of alkali silica reaction in concrete studied by SEM-image analysis. Ph.D. thesis, EPFL, Lausanne, Switzerland.
228. Beneš, M., & Štefan, R. (2015). Hygro-thermo-mechanical analysis of spalling in concrete walls at high temperatures as a moving boundary problem. *International Journal of Heat and Mass Transfer*, 85, 110–134.
229. Benjamin, J. R., & Cornell, C. A. (1970). *Probability, statistics and decision for civil engineers* (pp. 522–641). New York: McGraw Hill.
230. Benjamin, J. R., Cornell, C. A., & Gabrielson, B. I. (1965). A stochastic model for creep deflection of reinforced concrete beams. In *Proceedings of the International Symposium on the Flexural Mechanics of Reinforced Concrete* (pp. 557–580). Detroit, Michigan: American Concrete Institute (ACI SP-12).
231. Bennett, E. W., & Muir, S. E. S. J. (1967). Some fatigue tests of high-strength concrete in axial compression. *Magazine of Concrete Research*, 19, 113–117.
232. Bescoter, S. U. (1954). A theory of torsion bending for multi-cell beams. *Journal of Applied Mechanics, ASME*, 21, 25–34.
233. Bentz, D. P. (2005). CEMHYD3D: A three-dimensional cement hydration and microstructure development modeling package. Version 3.0, Technical report, NIST Building and Fire Research Laboratory, Gaithersburg, Maryland.

234. Bentz, D. P. (2007). Transient plane source measurements of the thermal properties of hydrating cement pastes. *Materials and Structures*, 40(10), 1073–1080. <http://www.springerlink.com/index/10.1617/s11527-006-9206-9>.
235. Bentz, D. P. (2007). Verification, validation, and variability of virtual standards. In J. J. Beaudoin, J. M. Makar, & L. Raki (Eds.), *12th International Congress on the Chemistry of Cement*.
236. Bernard, O., Ulm, F.-J., & Lemarchand, E. (2003). A multiscale micromechanics-hydration model for the early-age elastic properties of cement-based material. *Cement and Concrete Research*, 33, 1293–1309.
237. Bernhardt, C. J. (1967). Krypning og Svinn av Betong ved Forskjellige Ytre Forhold. *Nordisk Betong*, 1, 9–26.
238. Bernhardt, C. J. (1969). Creep and shrinkage of concrete. *Materials and Structures*, 2, 145–148.
239. Best, C. H., Pirtz, D., & Polivka, M. (1957). A loading system for creep studies of concrete. *ASTM Bulletin* (Vol. 224, pp. 44–47). American Society of Testing Materials.
240. Biot, M. A. (1941). General theory of three-dimensional consolidation. *Journal of Applied Physics*, 12, 155–164.
241. Biot, M. A. (1954). Theory of stress-strain relations in anisotropic viscoelasticity and relaxation phenomena. *Journal of Applied Physics*, 25, 1385–1391.
242. Bloom, R., & Bentur, A. (1995). Free and restrained shrinkage of normal and high-strength concretes. *ACI Materials Journal*, 92, 211–217.
243. Boltzmann, L. (1874). Zur Theorie der elastischen Nachwirkung. *Sitzber. Akad. Wiss. Wiener Bericht 70. Wiss. Abt.*, 1, 279–306.
244. Boltzmann, L. (1878). Zur Theorie der elastischen Nachwirkung. *Annalen der Physik*, 241, 430–432.
245. Boltzmann, L. (1884). Ableitung des Stefan'schen Gesetzes, betreffend die Abhängigkeit der Wärmestrahlung von der Temperatur aus der elektromagnetischen Lichttheorie. *Annalen der Physik und Chemie*, 22, 291–294.
246. Bonnaud, P. A., Coasne, B., & Pellenq, R. J.-M. (2010). Molecular simulation of water confined in nanoporous silica. *Journal of Physics-Condensed Matter*, 22, 284110.
247. Bonnell, D. G. R., & Harper, F. C. (1951). *The thermal expansion of concrete* (Vol. 7). National building studies. London: HMSO.
248. Bouchaud, J.-P., & Potters, M. (2000). *Theory of financial risks: From statistical physics to risk management*. Cambridge: Cambridge University Press.
249. Boulay, C., & Patières, C. (1993). Mesure des déformations du béton au jeune âge. *ACI Materials Journal*, 26, 308–314.
250. Bourdarot, E. (1991). *Application of a porodamage model to analysis of concrete dams*. EDF/CNEH: Technical report.
251. Bourdet, O., & Muttoni, A. (2006). *Evaluation of existing measurement systems for the long-term monitoring of bridge deflections*. Confédération Suisse: Technical report.
252. Branson, D. E. (1977). *Deformations of concrete structures*. New York: McGraw-Hill.
253. Branson, D. E., & Christiason, M. L. (1971). Time-dependent concrete properties related to design-strength and elastic properties, creep and shrinkage. *Designing for the effects of creep, shrinkage and temperature* (Vol. SP-27, pp. 257–277). Farmington Hills, Michigan: American Concrete Institute (reapproved in 1982 and 1992).
254. Branson, D. E., Meyers, B. L., & Kripanarayanan, K. M. (1970). Time-dependent deformation of non-composite and composite prestressed concrete structures. *Highway Research Record*, 324, 15–43.
255. Bresler, B., & Selna, L. (1964). Analysis of time-dependent behavior of reinforced concrete structures. *Symposium on creep of concrete* (pp. 115–128). American Concrete Institute (ACI SP-9).
256. Breunese, A. J., & Fellingner, J. H. H. (2004). Spalling of concrete – and overview of ongoing research in The Netherlands. In *Proceedings of the 3rd International Workshop on Structures in Fire*, Ottawa, Canada.
257. Brinker, C. J., & Scherer, G. W. (1990). *Sol-gel science*. Boston: Academic Press.

258. BRITE Euram III BRPR-CT95 HITECO. (1999). Understanding and industrial application of high performance concrete in high temperature environment, Final report.
259. Brocca, M., & Bažant, Z. P. (2001). Microplane finite element analysis of tube-squash test of concrete with shear angles up to 70°. *International Journal for Numerical Methods in Engineering*, 52, 1165–1188.
260. Brochard, L., Vandamme, M., & Pellenq, R. J.-M. (2012). Poromechanics of microporous media. *Journal of the Mechanics and Physics of Solids*, 60, 606–622.
261. Brochard, L., Vandamme, M., Pellenq, R. J.-M., & Teddy, F.-C. (2011). Adsorption-induced deformation of microporous materials: Coal swelling induced by CO₂/CH₄ competitive adsorption. *Langmuir*, 28, 2659–2670.
262. Brooks, J. J. (1984). Accuracy of estimating long-term strains in concrete. *Magazine of Concrete Research*, 36, 131–145.
263. Brooks, J. J. (1989). Influence of mix proportions, plasticizers and superplasticizers on creep and drying shrinkage of concrete. *Magazine of Concrete Research*, 41, 145–153.
264. Brooks, J. J. (1992). *Preliminary state of the art report: Elasticity, creep and shrinkage of concretes containing admixtures, slag, fly-ash and silica-fume* (p. 209). ACI committee: Preliminary report.
265. Brooks, J. J. (1999). How admixtures affect shrinkage and creep. *Concrete International*, 21, 35–38.
266. Brooks, J. J. (2000). Elasticity, creep, and shrinkage of concrete containing admixtures. In A. Al-Manaseer (Ed.), *Adam Neville symposium: Creep and shrinkage—structural design effects* (Vol. ACI SP-194, pp. 283–360). Farmington Hills, Michigan: American Concrete Institute.
267. Brooks, J. J. (2005). 30-year creep and shrinkage of concrete. *Magazine of Concrete Research*, 57, 545–556.
268. Brooks, J. J., & Forsyth, P. (1986). Influence of frequency of cyclic load on creep of concrete. *Magazine of Concrete Research*, 38, 139–150.
269. Brooks, J. J., & Johari, M. A. M. (2001). Effect of metakaolin on creep and shrinkage of concrete. *Cement and Concrete Composites*, 23, 495–502.
270. Brooks, J. J., & Neville, A. M. (1977). A comparison of creep, elasticity and strength of concrete in tension and in compression. *Magazine of Concrete Research*, 29, 475–486.
271. Brooks, J. J., Wainwright, P. J., & Neville, A. M. (1979). *Time-dependent properties of concrete containing a superplasticizing admixture* (pp. 293–314). Farmington Hills: American Concrete Institute (ACI SP-62).
272. Browne, R. D., & Bamforth, P. P. (1975). The long-term creep of the Wylfa P. V. concrete for loading ages up to 12 1/2 years. In *3rd International Conference on Structural Mechanics in Reactor Technology, London, England*. H1/8.
273. Brun, L. (1969). Méthodes énergétiques dans les systèmes évolutifs linéaires. *Journal de Mécanique*, 8, 125–166.
274. Brunauer, S. (1943). *The adsorption of gases and vapors* (p. 398). Princeton: Princeton University Press.
275. Brunauer, S., Deming, L. S., Deming, W. E., & Teller, E. J. (1940). On a theory of the van der Waals adsorption of gases. *Journal of the American Chemical Society*, 62, 1723–1732.
276. Brunauer, S., Emmett, P. T., & Teller, E. (1938). Adsorption of gases in multimolecular layers. *Journal of the American Chemical Society*, 60, 309–319.
277. Brunauer, S., Skalny, J., & Bodor, E. E. (1969). Adsorption on nonporous solids. *Journal of Colloid and Interface Science*, 30, 546–552.
278. Bryant, A. H., & Vadhanavikkit, C. (1987). Creep, shrinkage-size, and age at loading effects. *ACI Materials Journal*, 84, 117–123.
279. Buckingham, E. (1907). Studies on the movement of soil moisture. *Bulletin* (Vol. 38), U.S. Department of Agriculture Bureau of Soils, Washington.
280. Buckingham, E. (1914). On physically similar systems: Illustrations of the use of dimensional equations. *Physical Review*, 4, 345–376.
281. Buckler, J. D., & Scribner, C. F. (1985). Relaxation characteristics of prestressing strand. Engineering studies UILU-ENG-85-2011, University of Illinois.

282. Buil, M. (1990). Comportement physico-chimique du système ciment-fs. *Annales de l'ITBTP*, (483 (271)), 19–29.
283. Buil, M., & Acker, P. (1985). Creep of a silica fume concrete. *Cement and Concrete Research*, 15, 463–466.
284. Bulmer, M. G. (1967). *Principles of statistics*. New York: Dover.
285. Bulmer, M. G. (1979). *Principles of statistics*. New York: Dover Publications.
286. Burgoyne, C., & Scantlebury, R. (2006). Why did Palau bridge collapse? *The Structural Engineer*, 84, 30–37.
287. Camus, B. L. (1946). Recherches expérimentales sur la déformation du béton et du béton armé. *Cahiers de la recherche des lab. du bât. et des travaux publ. Circ. ITB (27, Ser. F)*.
288. Caner, F. C., & Bažant, Z. P. (2000). Microplane model M4 for concrete: II. Algorithm and calibration. *Journal of Engineering Mechanics, ASCE*, 126, 954–961.
289. Caner, F. C., & Bažant, Z. P. (2011). Microplane model M6f for fiber reinforced concrete. In *Proceedings of the XI International Conference on Computational Plasticity Fundamentals and Applications, COMPLAS 2011, Barcelona, Spain* (pp. 796–807).
290. Caner, F. C., & Bažant, Z. P. (2013). Microplane model M7 for plain concrete. I: Formulation. *Journal of Engineering Mechanics, ASCE*, 139, 1714–1723.
291. Caner, F. C., & Bažant, Z. P. (2013). Microplane model M7 for plain concrete. II: Calibration and verification. *Journal of Engineering Mechanics, ASCE*, 139, 1724–1735.
292. Caner, F. C., & Bažant, Z. P. (2014). Impact comminution of solids due to local kinetic energy of high shear strain rate: II. Microplane model and verification. *Journal of the Mechanics and Physics of Solids*, 64, 236–248.
293. Carlson, R. (1937). Drying shrinkage of large concrete members. *ACI Journal*, 33, 327–336.
294. Carlson, R. W. (1957). Permeability, pore pressure and uplift in gravity dams. *Transactions ASME*, 122, 587–613.
295. Carol, I., & Bažant, Z. P. (1992). Viscoelasticity with aging caused by solidification of nonaging constituent. *Journal of Engineering Mechanics, ASCE*, 119, 2252–2269.
296. Carol, I., & Bažant, Z. P. (1993). Viscoelasticity with aging caused by solidification of nonaging constituent. *Journal of Engineering Mechanics, ASCE*, 119, 2252–2269.
297. Carslaw, H. S., & Jaeger, J. C. (1959). *Conduction of heat in solids* (2nd ed.). Oxford: Clarendon Press.
298. Castigliano, A. (1873). Théorie de l'équilibre des systèmes élastiques, Engineering degree thesis, Politecnico di Torino.
299. Castillo, C., & Durrani, A. J. (1990). Effect of transient high temperature on high-strength concrete. *ACI Materials Journal*, 87, 47–53.
300. Çinlar, E., Bažant, Z. P., & Osman, E. (1977). Stochastic process for extrapolating concrete creep. *Journal of the Engineering Mechanics Division, ASCE*, 103, 1069–1088.
301. Cebeci, O., Al-Noury, S., & Mirza, W. (1989). Strength and drying shrinkage of masonry mortars in various temperature-humidity environments. *Cement and Concrete Research*, 19, 53–62.
302. Cederberg, H., & David, M. (1969). Computation of creep effects in prestressed concrete pressure vessels using dynamic relaxation. *Nuclear Engineering and Design*, 9, 439–448.
303. Celia, M. A., Bouloutas, E. T., & Zarba, R. L. (1990). A general mass-conservative numerical solution for the unsaturated flow equation. *Water Resources Research*, 26, 1483–1496.
304. Chan, S. Y. N., Peng, G.-F., & Anson, M. (1999). Fire behaviour of high-performance concrete made with silica fume at various moisture contents. *ACI Materials Journal*, 96, 405–409.
305. Chau, V. T., Li, C., Rahimi-Aghdam, S., & Bažant, Z. P. (2017). The enigma of large-scale permeability of gas shale: Pre-existing or frac-induced? *Journal of Applied Mechanics ASME*, 84, 061008-1–061008-11.
306. Chapman, A. J. (1987). *Fundamentals of heat transfer*. New York: Macmillan.
307. Charles, R. J. (1957). Energy-size reduction relationships in comminution. *Transactions of the American Institute of Mining and Metallurgical Engineers*, 208, 80–88.
308. Chen, X., & Bažant, Z. P. (2014). Microplane damage model for jointed rock masses. *International Journal for Numerical and Analytical Methods in Geomechanics*, 38(14), 1431–1452. <https://doi.org/10.1002/nag.2257> (NAG-13-0200.R1).

309. Chen, X., & Bažant, Z. P. (2014). Microplane damage model for jointed rock masses. *International Journal for Numerical and Analytical Methods in Geomechanics*, 38, 1431–1452.
310. Chiorino, M. A. (2005). A rational approach to the analysis of creep structural effects. In J. Gardner & J. Weiss (Eds.), *Shrinkage and creep of concrete*, ACI SP (Vol. 227, pp. 107–141). Farmington Hills: American Concrete Institute.
311. Chiorino, M. A., Napoli, P., Mola, F., & Koprna, M. (1980). CEB design manual on structural effects of time-dependent behavior of concrete. *CEB Bulletin d'Information* (Vol. 136). Comité Euro-International du Béton.
312. Choinska, M., Khelidj, A., Chatzigeorgiou, G., & Pijaudier-Cabot, G. (2007). Effects and interactions of temperature and stress-level related damage on permeability of concrete. *Cement and Concrete Research*, 37(1), 79–88.
313. Christensen, R. M. (2003). *Theory of viscoelasticity* (2nd ed.). New York: Dover Publications.
314. Chung, J. H., & Consolazio, G. R. (2005). Numerical modeling of transport phenomena in reinforced concrete exposed to elevated temperatures. *Cement and Concrete Research*, 35, 597–608.
315. Chung, J. H., Consolazio, G. R., & McVay, M. C. (2006). Finite element stress analysis of a reinforced high-strength concrete column in severe fires. *Computers and Structures*, 84, 1338–1352.
316. Cilosani, Z. N. (1964). On the probable mechanism of creep of concrete. *Beton i Zhelezobeton*, 2, 75–78.
317. Coasne, B., Galarneau, A., Renzo, F. D., & Pellenq, R. J.-M. (2008). Molecular simulation of adsorption and intrusion in nanopores. *Adsorption*, 14, 215–221.
318. Coasne, B., Galarneau, A., Renzo, F. D., & Pellenq, R. J.-M. (2009). Intrusion and retraction of fluids in nanopores: Effect of morphological heterogeneity. *Journal of Physical Chemistry C*, 113, 1953–1962.
319. Coasne, B., Renzo, F. D., Galarneau, A., & Pellenq, R. J.-M. (2008). Adsorption of simple fluid on silica surface and nanopore: Effect of surface chemistry and pore shape. *Langmuir*, 24, 7285–7293.
320. Cohan, L. J. (1938). Sorption hysteresis and the vapor pressure of concave surfaces. *Journal of the American Chemical Society*, 60, 430–435.
321. Coleman, B. D. (1964). Thermodynamics of material with memory. *Archive for Rational Mechanics and Analysis*, 17, 1–46.
322. Comité Euro-International du Béton. (1991). CEB-FIP model code 1990: Design code, Thomas Telford, London. Also published in 1993 by Comité Euro-International du Béton (CEB), Bulletins d'Information No. 213 and 214, Lausanne, Switzerland.
323. Conclusions of the Hubert Rüschi Workshop on Creep of Concrete. (1980). (Vol. 2 (11), p. 77). ACI Concrete International.
324. Consolazio, G. R., McVay, M. C., Rish, J. W., & I. I. I., (1998). Measurement and prediction of pore pressures in saturated cement mortar subjected to radiant heating. *ACI Materials Journal*, 95, 526–536.
325. Copeland, L. E., Kantro, D. I., & Verbeck, G. (1960). Chemistry of hydration of Portland cement. In *4th International Symposium on the Chemistry of Cement* (Vol. 43, pp. 429–465). National Bureau of Standards monograph. Washington, DC.
326. Cottrell, A. (1964). *The mechanical properties of matter*. New York: Wiley.
327. Counto, U. J. (1964). The effect of the elastic modulus of the aggregate on the elastic modulus, creep and creep recovery of concrete. *Magazine of Concrete Research*, 16, 129–138.
328. Coussy, O. (2010). *Mechanics and physics of porous solids*. Chichester: Wiley.
329. Crank, J., & Nicolson, P. (1947). A practical method for numerical evaluation of solutions of partial differential equations of the heat conduction type. *Proceedings of the Cambridge Philosophical Society*, 43, 50–67.
330. Crow, E. L., Davis, F. A., & Maxfield, M. W. (1960). *Statistics manual* (pp. 152–167). New York: Dover Publications.
331. Cusatis, G. (1998). Modellazione della viscosità del calcestruzzo in regime di umidità e temperatura variabili mediante la teoria dei microsforzi, Master's thesis, Politecnico di Milano, Milan, Italy.

332. Cusatis, G., Bažant, Z. P., & Cedolin, L. (2003). Confinement-shear lattice model for concrete damage in tension and compression: I. Theory. *Journal of Engineering Mechanics, ASCE*, 129, 1439–1448.
333. Cusatis, G., Pelessone, D., & Mencarelli, A. (2011). Lattice discrete particle model (LDPM) for failure behavior of concrete. I: Theory. *Cement and Concrete Composites*, 33, 881–890.
334. Czernin, W. (1980). *Cement chemistry and physics for civil engineers* (2nd ed.). Wiesbaden and Berlin: Bauverlag GmbH.
335. da Silva, W. R. L., & Šmilauer, V. (2015). Nomogram for maximum temperature of mass concrete. *Concrete International*, 37, 30–36.
336. Dal Pont, S., & Ehrlacher, A. (2004). Numerical and experimental analysis of chemical dehydration, heat and mass transfers in a concrete hollow cylinder submitted to high temperatures. *International Journal of Heat and Mass Transfer*, 47(1), 135–147.
337. Darcy, H. (1856). *Les Fontaines Publiques de la Ville de Dijon*. Paris: Dalmont.
338. Davie, C., Pearce, C., & Bićanić, N. (2010). A fully generalised, coupled, multi-phase, hygrothermo-mechanical model for concrete. *Materials and Structures*, 43, 13–33.
339. Davie, C. T., Pearce, C. J., & Bićanić, N. (2006). Coupled heat and moisture transport in concrete at elevated temperatures—effects of capillary pressure and adsorbed water. *Numerical Heat Transfer*, 49, 733–763.
340. Davie, C. T., Pearce, C. J., & Bićanić, N. (2012). Aspects of permeability in modelling of concrete exposed to high temperatures. *Transport in Porous Media*, 95(3), 627–646.
341. de Groot, S. R., & Mazur, P. (Eds.). (1962). *Nonequilibrium thermodynamics*. Amsterdam etc: North-Holland.
342. de Larrard, F., & Bostvironnois, J. L. (1991). On the long term strength losses of silica fume high strength concretes. *Magazine of Concrete Research*, 43, 109–119.
343. de Larrard, F., & Roy, R. L. (1992). Relation entre formulation and quelques propriétés mécaniques des bétons a hautes performances. *Materials and Structures*, 25, 464–475.
344. de Vries, D. A., & Kruger, A. J. (1966). On the value of the diffusion coefficient of water vapour in air. *Phénomènes de transport avec changement de phase dans les milieux poreux ou colloïdaux* (pp. 561–572). CNRS.
345. DeBoer, J. H. (1968). *The dynamical character of adsorption*. New York - Oxford: Oxford University Press.
346. DeJong, M. J., & Ulm, F. J. (2007). The nanogranular behavior of C-S-H at elevated temperatures (up to 700°C). *Cement and Concrete Research*, 37(1), 1–12.
347. Deryagin, B. V. (1933). Elastic form of thin water layers. *Zeitschrift für Physik*, 84, 657–670.
348. Deryagin, B. V. (1940). On the repulsive forces between charged colloid particles and the theory of slow coagulation and stability of lyophobic sols. *Transactions of the Faraday Society*, 36(203), 730.
349. Deryagin, B. V. (Ed.). (1963). *Research in surface forces*. New York: Consultants Bureau.
350. Di Luzio, G. (2007). A symmetric over-nonlocal microplane model M4 for fracture in concrete. *International Journal of Solids and Structures*, 44, 4418–4441.
351. Di Luzio, G., & Cusatis, G. (2013). Solidification-microprestress-microplane (SMM) theory for concrete at early age: Theory, validation and application. *International Journal of Solids and Structures*, 50(6), 957–975.
352. DIN. (1973). *Richtlinien für die Bemessung and Ausführung massiver Brücken, Technical report* (p. 1075). Substitute for DIN: German Standards.
353. Dischinger, F. (1937). Untersuchungen über die Kriechsicherheit, die elastische Verformung und das Kriechen des Betons bei Bogenbrücken. *Bauingenieur*, 18, 487–520, 539–552, 595–621.
354. Dischinger, F. (1939). Elastische und plastische Verformungen bei Eisenbetontragwerken. *Bauingenieur*, 20, 53–63, 286–294, 426–437, 563–572.
355. Domone, P. L. (1974). Uniaxial tensile creep and failure of concrete. *Magazine of Concrete Research*, 26, 144–152.
356. Donmez, A., & Bažant, Z. P. (2016). Shape factors for concrete shrinkage and drying creep in model B4 refined by nonlinear diffusion analysis. *Materials and Structures*, 49, 4779–4784.

357. Dormieux, L., Kondo, D., & Ulm, F.-J. (2006). *Microporomechanics*. Chichester: Wiley.
358. Duggill, J. W. (1962). Discussion of 'Modulus of elasticity of concrete affected by moduli of cement paste and aggregate' by T.J. Hirsch. *Proceedings of American Concrete*, 59, 1363–1365.
359. DRC Consultants, I. (1996). Koror-Babelthuap bridge: Force distribution in bar tendons, Technical report, DRC Consultants, Inc.
360. Dugdale, D. S. (1960). Yielding of steel sheets containing slits. *Journal of the Mechanics and Physics of Solids*, 8, 100–108.
361. Dutra, V. F. P., Maghous, S., Campos Filho, A., & Pacheco, A. R. (2010). A micromechanical approach to elastic and viscoelastic properties of fiber reinforced concrete. *Cement and Concrete Research*, 40, 460–472.
362. Dvorak, G. (2013). *Micromechanics of composite materials*. Netherlands: Springer.
363. Dvorak, G. J. (1992). Transformation field analysis of inelastic composite materials. *Proceedings of the Royal Society A*, 437, 311–327.
364. Dvorak, G. J., & Benveniste, Y. (1992). On transformation strains and uniform fields in multiphase elastic media. *Proceedings of the Royal Society A*, 437, 291–310.
365. Dwaikat, M. B., & Kodur, V. K. R. (2009). Hydrothermal model for predicting fire-induced spalling in concrete structural systems. *Fire Safety Journal*, 44, 425–434.
366. Eliáš, J., & Le, J.-L. (2012). Modeling of mode-I fatigue crack growth in quasibrittle structures under cyclic compression. *Engineering Fracture Mechanics*, 96, 26–36.
367. Engineers, B. (1995). Koror-Babeldaob bridge modifications and repairs, Technical report, Berger/ABAM Engineers, Inc.
368. Engineers, B. (1995). Koror-Babeldaob bridge repair project report on evaluation of VECP, Technical report, Berger/ABAM Engineers, Inc. presented by Black Construction Corporation.
369. England, G. L., & Illston, J. M. (1965). Methods of computing stress in concrete from a history of measured strain. *Civil Engineering and Public Works Review*, 513–517(692–694), 845–847.
370. England, G. L., & Ross, A. D. (Eds.), Shrinkage, moisture and pore pressure in heated concrete. In *Proceedings of the ACI International Seminar on Concrete for Nuclear Reactors, West Berlin, Germany* (pp. 883–907) (ACI SP-34).
371. England, G., & Ross, A. D. (1962). Reinforced concrete under thermal gradients. *Magazine of Concrete Research*, 14, 5–12.
372. Espinosa, R. M., & Franke, L. (2006). Influence of the age and drying process on pore structure and sorption isotherms of hardened cement paste. *Cement and Concrete Research*, 36, 1969–1984.
373. Eurocode 2: Design of concrete structures, part 1-1: General rules and rules for buildings (2004). Brussels. BS EN 1992-1-1:2004: E.
374. Eurocode 2: Design of concrete structures, part 1-2: General rules—structural fire design (2004). Brussels. BS EN 1992-1-2:2004: E.
375. Evans, A. G. (1972). A method for evaluating the time-dependent failure characteristics of brittle materials—and its application to alumina. *Journal of Materials Science*, 7, 1137–1146.
376. Evans, A. G., & Fu, Y. (1984). The mechanical behavior of alumina. *Fracture in ceramic materials* (pp. 56–88). Park Ridge: Noyes Publications.
377. Eymard, R., Gallouët, T., Hilhorst, D., & Slimane, Y. N. (1998). Finite volumes and nonlinear diffusion equations. *RAIRO-Mathematical Modelling and Numerical Analysis*, 32, 747–761.
378. Fahmi, H. M., Polivka, M., & Bresler, B. (1972). Effect of sustained and cyclic elevated temperature on creep concrete. *Cement and Concrete Research*, 2, 591–606.
379. Fairhurst, C., & Comet, F. (1981). Rock fracture and fragmentation. In H. H. Einstein (Ed.), *Rock mechanics: From research to application, Proceedings of the 22nd U.S. Symposium on Rock Mechanism* (pp. 21–46). Cambridge: MIT Press.
380. Faria, R., Azenha, M., & Figueiras, J. A. (2006). Modelling of concrete at early ages: application to an externally restrained slab. *Cement and Concrete Composites*, 28, 572–578.

381. Fédération internationale du béton. (2013). *fib model code for concrete structures 2010*. Berlin: Ernst & Sohn.
382. Feldman, R. F., & Sereda, P. J. (1964). Sorption of water on compacts of bottle hydrated cement. I: The sorption and length-change isotherms. *Journal of Applied Chemistry*, 14, 87–93.
383. Feldman, R. F., & Sereda, P. J. (1968). A model for hydrated Portland cement paste as deduced from sorption-length change and mechanical properties. *Materials and Structures*, 1, 509–520.
384. Feller, W. (1957). *An introduction of probability theory and its applications* (2nd ed., Vol. 1). New York: Wiley.
385. Feraille-Fresnet, A. (2000). Le role de l'eau dans le comportement à haute température des bétons. Ph.D. thesis, Ecole Nationale des Ponts et Chaussées, Paris.
386. Feraille-Fresnet, A., Tamagny, P., Ehrlacher, A., & Sercombe, J. (2003). Thermo-hydro-chemical modelling of a porous medium submitted to high temperature: An application to an axisymmetrical structure. *Mathematical and Computer Modelling*, 37(03), 641–650. www.elsevier.nl/locate/mcm
387. Fernie, G. N., & Leslie, J. A. (1975). Vertical and longitudinal deflections of major prestressed concrete bridges. *Symposium of serviceability of concrete* (Vol. n7516). Australia, Melbourne: Institution of Engineers.
388. Ferry, J. D. (1980). *Viscoelastic properties of polymers* (3rd ed.). New York: Wiley.
389. *fib*. (1999). Structural concrete: Textbook on behaviour, design and performance, Fédération Internationale du Béton (fib), Lausanne.
390. *fib*. (1999). Structural concrete: Textbook on behaviour, design and performance, basis of design. *fib Bulletin* (Vol. 2), pp. 35–52
391. Fick, A. (1855). Über diffusion. *Poggendorff's Annalen*, 94, 59.
392. Fillunger, P. (1915). Versuche über die Zugfestigkeit bei allseitigem Wasserdruck. *Österreichische Wochenschrift für den öffentlichen Baudienst*, 29, 443.
393. Fillunger, P. (1929). Auftrieb und Unterdruck in Talsperren. *Die Wasserwirtschaft*, (18, 20, 21), 334–336, 371–377, 388–390.
394. Fillunger, P. (1934). Nochmals der Auftrieb in Talsperren. *Zeitschrift des Österreichischen Ingenieur- und Architekten-Vereines*, (5/6), 28–30.
395. Fisher, L. R., & Israelachvili, J. N. (1979). Direct experimental verification of the Kelvin equation for capillary condensation. *Nature*, 277, 548–549.
396. Forsyth, P. A., & Simpson, R. B. (1991). A two phase, two component model for natural convection in a porous medium. *International Journal for Numerical Methods in Fluids*, 12, 655–682.
397. Fossen, H. (2010). *Structural geology*. Cambridge: Cambridge University Press.
398. Fox, J. (1997). *Applied regression analysis, linear models and related methods*. Los Angeles: Sage Publications.
399. Freund, J. E. (1962). *Mathematical statistics*. Englewood Cliffs: Prentice Hall.
400. Furamura, F. (1970). Stress-strain relationship in compression for concrete at high temperatures. *Transactions of the Architectural Institute*, 174 (Tokyo, Japan).
401. Furbish, D. J. (1997). *Fluid physics in geology*. New York and Oxford: Oxford University Press.
402. Gaede, K. (1962). Über die Festigkeit und die Verformung von Beton bei Druck-Schwellbeanspruchung. *Deutscher Ausschuss für Stahlbeton* (Vol. 144).
403. Gamble, B. R., & Parrot, L. J. (1978). Creep of concrete in compression during drying and wetting. *Magazine of Concrete Research*, 30, 129–138.
404. Gao, L., & Hsu, C.-T. T. (1998). Fatigue of concrete under compression cyclic loading. *ACI Materials Journal*, 95, 575–579.
405. Gardner, N. J. (2000). Design provisions for shrinkage and creep of concrete. In A. Al-Manaseer (Ed.), *Adam Neville symposium: Creep and shrinkage—structural design effects* (Vol. ACI SP-194, pp. 101–104). Farmington Hills, Michigan: American Concrete Institute.
406. Gardner, N. J. (2004). Comparison of prediction provisions for drying shrinkage and creep of normal strength concretes. *Canadian Journal of Civil Engineering*, 31, 767–775.

407. Gardner, N. J., & Lockman, M. J. (2001). Design provisions for drying shrinkage and creep of normal strength. *ACI Materials Journal*, 98, 159–167.
408. Gardner, N. J., & Zhao, J. W. (1993). Creep and shrinkage revisited. *ACI Materials Journal*, 90, 236–246.
409. Garrett, G. G., Jennings, H. M., & Tait, R. B. (1979). The fatigue hardening behavior of cement-based materials. *Journal of Materials Science*, 14, 296–306.
410. Gasch, T., Malm, R., & Ansell, A. (2016). A coupled hygro-thermo-mechanical model for concrete subjected to variable environmental conditions. *International Journal of Solids and Structures*, 91, 143–156.
411. Gauss, K. F. (1809). *Theoria Motus Corporum Caelestium*, Hamburg, reprinted by Dover Publications, New York, 1963.
412. Gawin, D. (1996). A model of hygro-thermic behaviour of unsaturated concrete at high temperatures. In *Proceedings of the 2nd International Scientific Conference on Analytical Models and New Concepts in Mechanics of Concrete Structures, Lodz, Poland* (pp. 65–71).
413. Gawin, D., Alonso, C., Andrade, C., Majorana, C. E., & Pesavento, F. (2005). Effect of damage on permeability and hygro-thermal behaviour of HPCs at elevated temperatures: Part 1. *Experimental results. Computers and Concrete*, 2(3), 189–202.
414. Gawin, D., Majorana, C. E., & Schrefler, B. (1999). Numerical analysis of hygro-thermal behaviour and damage of concrete at high temperature. *Mechanics of Cohesive-Frictional Materials*, 4, 37–74.
415. Gawin, D., Pesavento, F., & Schrefler, B. A. (2002). Modeling of hygro-thermal behavior and damage of concrete at temperature above the critical point of water. *International Journal of Numerical and Analytical Methods in Geomechanics*, 26, 537–562.
416. Gawin, D., Pesavento, F., & Schrefler, B. A. (2002). Simulation of damage-permeability coupling in hygro-thermo-mechanical analysis of concrete at high temperature. *Communications in Numerical Methods in Engineering*, 18, 113–119.
417. Gawin, D., Pesavento, F., & Schrefler, B. A. (2003). Modelling of hygro-thermal behaviour of concrete at high temperature with thermo-chemical and mechanical material degradation. *Computer Methods in Applied Mechanics and Engineering*, 192(13–14), 1731–1771.
418. Gawin, D., Pesavento, F., & Schrefler, B. A. (2004). Modelling of deformations of high strength concrete at elevated temperatures. *Concrete Science and Engineering/Materials and Structures*, 37, 218–236.
419. Gawin, D., Pesavento, F., & Schrefler, B. A. (2006). Hygro-thermo-chemo-mechanical modelling of concrete at early ages and beyond. Part I. Hydration and hygro-thermal phenomena. *International Journal for Numerical Methods in Engineering*, 67, 299–331.
420. Gawin, D., Pesavento, F., & Schrefler, B. A. (2006). Hygro-thermo-chemo-mechanical modelling of concrete at early ages and beyond. Part II. Shrinkage and creep of concrete. *International Journal for Numerical Methods in Engineering*, 67, 332–363.
421. Gawin, D., Pesavento, F., & Schrefler, B. A. (2006). Towards prediction of the thermal spalling risk through a multi-phase porous media model of concrete. *Computer Methods in Applied Mechanics and Engineering*, 195, 5707–5729.
422. Gawin, D., Pesavento, F., & Schrefler, B. A. (2011). What physical phenomena can be neglected when modelling concrete at high temperature? A comparative study. Part 1: Physical phenomena and mathematical model. *International Journal of Solids and Structures*, 48(13), 1927–1944. <https://doi.org/10.1016/j.ijsolstr.2011.03.004>.
423. Gawin, D., Pesavento, F., & Schrefler, B. A. (2011). What physical phenomena can be neglected when modelling concrete at high temperature? A comparative study. Part 2: Comparison between models. *International Journal of Solids and Structures*, 48(13), 1945–1961. <https://doi.org/10.1016/j.ijsolstr.2011.03.003>.
424. Gawin, D., & Schrefler, B. A. (1996). Thermo-hydro-mechanical analysis of partially saturated porous materials. *Engineering Computations*, 13, 113–143.
425. Ghali, A., Neville, A. M., & Jha, P. C. (1967). Effect of elastic and creep recoveries of concrete on loss of prestress. *Journal of the American Concrete Institute*, 64, 802–810.

426. Glanville, W. H. (1930). *Studies in reinforced concrete III - Creep or flow of concrete under load, Building Research Technical Paper 12*. London: Department of Scientific and Industrial Research.
427. Glanville, W. H. (1933). Creep of concrete under load. *The Structural Engineer*, 11, 54–73.
428. Glanville, W. H., & Thomas, F. G. (1930). *Studies in reinforced concrete IV - Further investigations on the creep flow of concrete under load, Building Research Technical Paper 21*. London: Department of Scientific and Industrial Research.
429. Goodman, R. E. (1989). *Introduction to rock mechanics* (2nd ed.). New York: Wiley.
430. Granger, L. (1995). Comportement différé du béton dans les enceintes de centrales nucléaires: analyse et modélisation, Technical report, Laboratoire Central des Ponts et Chaussées, Paris. Ph.D. thesis of ENPC.
431. Granger, L., Acker, P., & Torrenti, J.-M. (1994). Discussion of drying creep of concrete: Constitutive model and new experiments separating its mechanisms. *Materials and Structures*, 27, 616–619.
432. Granger, L. P., & Bažant, Z. P. (1995). Effect of composition on basic creep of concrete and cement paste. *Journal of Engineering Mechanics, ASCE*, 121, 1261–1270.
433. Grassl, P., & Jirásek, M. (2006). Damage-plastic model for concrete failure. *International Journal of Solids and Structures*, 43(22–23), 7166–7196.
434. Grassl, P., Xenos, D., Nystrom, U., Rempling, R., & Gylltoft, K. (2013). CDPm2: A damage-plasticity approach to modelling the failure of concrete. *International Journal of Solids and Structures*, 50(24), 3805–3816. <https://doi.org/10.1016/j.jisolsstr.2013.07.008>.
435. Gray, W. G., & Hassanizadeh, S. M. (1980). General conservation equations for multiphase systems: 3. Constitutive theory for porous media. *Advances in Water Resources*, 3, 25–40.
436. Gray, W. G., & Hassanizadeh, S. M. (1991). Paradoxes and realities in unsaturated flow theory. *Water Resources Research*, 27, 1847–1854.
437. Gray, W. G., & Hassanizadeh, S. M. (1991). Unsaturated flow theory including interfacial phenomena. *Water Resources Research*, 27(8), 1855–1863. http://80.apps.webofknowledge.com/dialog/cvut.cz/full_record.do?product=WOS&search_mode=GeneralSearch&qid=9&SID=Q2pWw4ZPkVQTctwemBU&page=1&doc=9.
438. Griffith, A. A. (1921). The phenomena of rupture and flow in solids. *Philosophical Transactions of the Royal Society of London, Series A*, 221, 163–197.
439. Grübl, P., Weigler, H., & Karl, S. (2002). Beton: Arten, Herstellung und Eigenschaften, Handbuch für Beton-, Stahlbeton- und Spannbetonbau (pp. 68, 226). Ernst & Sohn.
440. Grzybowski, M., & Shah, S. P. (1990). Shrinkage cracking of fiber reinforced concrete. *ACI Materials Journal*, 87, 138–148.
441. Guggenheim, E. A. (1959). Thermodynamics, classical and statistical. In S. Flügge (Ed.), *Encyclopedia of physics* (Vol. III/2). Berlin: Springer.
442. Gvozdev, A. A. (1953). *Thermal-shrinkage deformations in massive concrete blocks (in Russian)*, Technical report 17(4). SSSR, OTN: Izvestia A.N.
443. Gvozdev, A. A. (1966). Creep of concrete (in Russian), *Mekhanika Tverdogo Tela, Proceedings of the 2nd National Conference on Theory and Applied Mechanics Academy of Sciences USSR, Nauka, Moscow* (pp. 137–152).
444. Hagentoft, C. E., Kalagasidis, A. S., Adl-Zarrabi, B., Roels, S., Carmeliet, C., Hens, H., et al. (2004). Assessment method of numerical prediction models for combined heat, air and moisture transfer in building components: Benchmarks for one-dimensional cases. *Journal of Thermal Envelope and Building Science*, 27, 327–352.
445. Hagymassy, J., Odler, I., Yudenfreund, M., Skalny, J., & Brunauer, S. (1972). Pore structure analysis by water vapor adsorption. III. Analysis of hydrated calcium silicates and Portland cements. *Journal of Colloid and Interface Science*, 38, 20–34.
446. Haldar, A., & Mahadevan, S. (1999). *Probability, reliability, and statistical methods in engineering design*. New York: Wiley.
447. Halsey, G. J. (1948). Physical adsorption on nonuniform surfaces. *Journal of Chemical Physics*, 16, 931–937.

448. Hansen, K. K. (1986). *Sorption isotherms: A catalogue, Technical report 162/86*. Building Materials Laboratory: The Technical University of Denmark.
449. Hansen, P. F. (1985). *Coupled moisture/heat transport in cross sections of structures (in Danish)*. Beton og Konstruktionsinstituttet (BKI): Technical report.
450. Hansen, T. C. (1960). Creep and stress relaxation in concrete. In *Proceedings of the Swedish Cement and Concrete Institute (CBI)* (Vol. 31), Royal Institute of Technology, Stockholm.
451. Hansen, T. C. (1960). Creep of concrete: The influence of variations in the humidity of ambient atmosphere. In *6th Congress of the International Association of Bridge and Structural Engineering (IBASE)* (pp. 57–65). Stockholm.
452. Hansen, T. C., & Eriksson, L. (1966). Temperature change effect on behavior of cement paste, mortar, and concrete under load. *ACI Journal*, 63, 489–504.
453. Hansen, T. C., & Mattock, A. H. (1966). Influence of size and shape of member on the shrinkage and creep of concrete. *Journal of the American Concrete Institute*, 63, 267–290.
454. Hansen, W. (1987). Drying shrinkage mechanisms in Portland cement pastes. *Journal of the American Ceramic Society*, 70, 323–328.
455. Hanson, J. A. (1953). *A ten-year study of creep properties of concrete, Concrete Laboratory Report Sp-38*. Bureau of Reclamation, Denver, Colorado: US Department of the Interior.
456. Hanson, J. A. (1968). Effects of curing and drying environments on splitting tensile strength. *ACI Journal*, 65, 535–543 (PCA Bulletin D141).
457. Haque, M. N. (1995). Strength development and drying shrinkage of high-strength concretes. *Cement and Concrete Composites*, 18, 333–342.
458. Harboe, E. M. (1958). *A comparison of the instantaneous and the sustained modulus of elasticity of concrete, Concrete Laboratory Report C-854*. US Department of the Interior, Bureau of Reclamation, Denver, Colorado: Division of Engineering Laboratories.
459. Hardy, G. H., & Riesz, M. (1915). *The general theory of Dirichlet's series* (Vol. 18). Cambridge tracts in mathematics. Cambridge: Cambridge University Press.
460. Harmathy, T. Z. (1965). Effect of moisture on the fire endurance of building materials. *Moisture in materials in relation to fire tests, ASTM special technical publication* (Vol. 385, pp. 74–95). Philadelphia: American Society of Testing Materials.
461. Harmathy, T. Z. (1970). Thermal properties of concrete of elevated temperature. *Journal of Materials, JMLSA*, 5, 47–75.
462. Harmathy, T. Z. (1983). Properties of building materials at elevated temperatures, Technical report DBR Paper No. 1080, Division of Building Research, Ottawa.
463. Harmathy, T. Z., & Allen, L. W. (1973). Thermal properties of selected masonry unit concretes. *Journal of the American Concrete Institute*, 70, 132–142.
464. Hashin, Z. (1962). The elastic modulus of heterogeneous materials. *Journal of Applied Mechanics, ASME*, 29, 143–150.
465. Hassanizadeh, S., & Gray, W. G. (1990). Mechanics and thermodynamics of multiphase flow in porous media including interphase boundaries. *Advances in Water Resources*, 13(4), 169–186. <http://www.sciencedirect.com/science/article/pii/030917089090040B>.
466. Hassanizadeh, S. M. (1986). Derivation of basic equations of mass transport in porous media, Part 1. Macroscopic balance laws. *Advances in Water Resources*, 9, 196–206.
467. Hassanizadeh, S. M., & Gray, W. G. (1979). General conservation equations for multiphase systems: 1 Averaging procedure. *Advances in Water Resources*, 2, 131–144.
468. Hassanizadeh, S. M., & Gray, W. G. (1979). General conservation equations for multiphase systems: 2 Mass, momenta, energy and entropy equations. *Advances in Water Resources*, 2, 191–203.
469. Hassanizadeh, S. M., & Gray, W. G. (1980). General conservation equations for multiphase systems: 3 Constitutive theory for porous media flow. *Advances in Water Resources*, 3, 25–40.
470. Hatt, W. K. (1907). Notes on the effect of time element in loading reinforced concrete beams. *Proceedings of ASTM*, 7, 421–433.
471. Havlásek, P. (2014). Creep and shrinkage of concrete subjected to variable environmental conditions, Ph.D. thesis, Czech Technical University in Prague, Prague, Czech Republic.

472. Havlásek, P., & Jirásek, M. (2012). Modeling of concrete creep based on microprestress-solidification theory. *Acta Polytechnica*, 52, 34–42.
473. Havlásek, P., & Jirásek, M. (2012). *Modeling of nonlinear moisture transport in concrete. Nano and macro mechanics*. Prague: Czech Technical University.
474. Havlásek, P., & Jirásek, M. (2016). Multiscale modeling of drying shrinkage and creep of concrete. *Cement and Concrete Research*, 85, 55–74.
475. Helleland, J., & Green, R. (1971). Sustained and cyclic loading of concrete columns. *Proceedings of the American Society of Civil Engineers*, 97, 1113–1128.
476. Helmuth, R. A., & Turk, D. H. (1967). The reversible and irreversible drying shrinkage of hardened Portland cement and tricalcium silicate paste. *Journal of the Portland Cement Association Research and Development Laboratories*, 9, 8–21 (PCA Bulletin 215).
477. Hertz, K. D. (2003). Limits of spalling of fire-exposed concrete. *Fire Safety Journal*, 38, 103–116.
478. Hill, R. (1965). A self consistent mechanics of composite materials. *Journal of the Mechanics and Physics of Solids*, 13, 213–222.
479. Hill, T. L. (1960). *Statistical thermodynamics*. Reading: Addison-Wesley.
480. Hillerborg, A. (1985). A modified absorption theory. *Cement and Concrete Research*, 15, 809–816.
481. Hillerborg, A., Modéer, M., & Peterson, P. E. (1976). Analysis of crack propagation and crack growth in concrete by means of fracture mechanics and finite elements. *Cement and Concrete Research*, 6, 773–782.
482. Hilsdorf, H. K. (1980). Unveröffentlichte Versuche an der MPA München, private communication.
483. Hirst, G. A., & Neville, A. M. (1977). Activation energy of creep of concrete under short-term static and cyclic stresses. *Magazine of Concrete Research*, 29, 13–18.
484. Holt, E. (2005). Contribution of mixture design to chemical and autogenous shrinkage of concrete at early ages. *Cement and Concrete Research*, 35, 464–472.
485. Horii, H., & Nemat-Nasser, S. (1982). Compression-induced nonplanar crack extension with application to splitting, exfoliation and rockburst. *Journal of Geophysical Research*, 87, 6806–6821.
486. Hsu, T. C. (1981). *Fatigue of plain concrete*. *ACI Journal*, 78, 292–305.
487. Huang, K. (1963). *Statistical mechanics*. New York: Wiley.
488. Hubler, M. H., Wendner, R., & Bažant, Z. P. (2015). Comprehensive database for concrete creep and shrinkage: Analysis and recommendations for testing and recording. *ACI Materials Journal*, 112, 547–558.
489. Hubler, M. H., Wendner, R., & Bažant, Z. P. (2015). Statistical justification of model B4 for drying and autogenous shrinkage of concrete and comparisons to other models. *Materials and Structures*, 48, 797–814.
490. Huet, C. (1970). Sur l'évolution des contraintes et déformations dans les systèmes multicouches constitués de matériaux viscoélastiques présentant du vieillissement. *Comptes Rendus de l'Académie des Sciences Paris*, 270, 213–216.
491. Huet, C. (1973). Application à la viscoélasticité non linéaire du calcul symbolique à plusieurs variables. *Rheologica Acta*, 12, 279–288.
492. Huet, C. (1974). Opérateurs matriciels en viscoélasticité linéaire avec vieillissement et application aux structures viscoélastiques hétérogènes. In J. Hult (Ed.), *Mechanics of visco-elastic media and bodies* (pp. 131–146). Berlin: Springer.
493. Huet, C. (1980). Adaptation d'un algorithme de Bazant au calcul des multilames viscoélastiques vieillissants. *Materials and Structures*, 74, 91–98.
494. Huet, C. (1985). Relations between creep and relaxation functions in nonlinear viscoelasticity with or without aging. *Journal of Rheology*, 29, 245–257.
495. Huet, C. (1992). Minimum theorems for viscoelasticity. *European Journal of Mechanics - A/Solids*, 11, 653–684.
496. Huet, C. (1995). Bounds for the overall properties of viscoelastic heterogeneous and composite materials. *Archives of Mechanics*, 47, 1125–1155.

497. Hughes, B. P., Lowe, I. R. G., & Walker, J. (1966). The diffusion of water in concrete at temperatures between 50 and 95°C. *British Journal of Applied Physics*, 17, 1545–1552.
498. Hummel, A., Wesche, K., & Brand, W. (1962). Der Einfluss der Zementart, des Wasser-Zement-Verhältnisses und des Belastungsalters auf das Kriechen von Beton. *Deutscher Ausschuss für Stahlbeton* (Vol. 146). Berlin: W. Ernst & Sohn.
499. Hussein, F. (1982). Feuchtverteilung in porösen Baustoffen aufgrund instationärer Wasserdampfdiffusion, Ph.D. thesis, Universität Dortmund, Dortmund, Germany.
500. IAP. (2009). Revised release on the IAPWS formulation 1995 for the thermodynamic properties of ordinary water substance for general and scientific use. <http://www.iapws.org>.
501. Ichikawa, Y., & England, G. L. (2004). Prediction of moisture migration and pore pressure build-up in concrete at high temperatures. *Nuclear Engineering and Design*, 228, 245–259.
502. Idiart, A. E. (2009). Coupled analysis of degradation processes in concrete specimens at the meso-level, Ph.D. thesis, Technical University of Catalonia, Barcelona, Spain.
503. Igarashi, S. I., Bentur, A., & Kovler, K. (2000). Autogenous shrinkage and induced restraining stresses in high-strength concretes. *Cement and Concrete Research*, 30, 1701–1707.
504. Illston, J. M., & Sanders, P. D. (1973). The effect of temperature change upon the creep of mortar under torsional loading. *Magazine of Concrete Research*, 25, 136–144.
505. Iman, R. L., Helton, J. C., & Campbell, J. E. (1981). An approach to sensitivity analysis of computer models, Part 1. Introduction, input variable selection and preliminary variable assessment. *Journal of Quality Technology*, 13, 174–183.
506. Ingraffea, A. R. (1977). Discrete fracture propagation in rock: Laboratory tests and finite element analysis, Ph.D. thesis, University of Colorado.
507. Irwin, G. R. (1958). Fracture. In S. Flügge (Ed.), *Handbuch der Physik* (Vol. VI, pp. 551–590). Berlin: Springer.
508. Janssen, H., Blocken, B., & Carmeliet, J. (2007). Conservative modelling of the moisture and heat transfer in building components under atmospheric excitation. *International Journal of Heat and Mass Transfer*, 50, 1128–1140.
509. Jansson, R. (2013). Fire spalling of concrete, Ph.D. thesis, Royal Institute of Technology, Stockholm, Sweden.
510. Japan International Cooperation Agency. (1990). *Present condition survey of the Koror-Babelthuap bridge*. Japan International Cooperation Agency: Technical report.
511. Jason, L., Pijaudier-Cabot, G., Ghavamian, S., & Huerta, A. (2007). Hydraulic behaviour of a representative structural volume for containment buildings. *Nuclear Engineering and Design*, 237, 1259–1274.
512. Jendele, L., Šmilauer, V., & Červenka, J. (2013). Multiscale hydro-thermo-mechanical model for early-age and mature concrete structures. *Advances in Engineering Software*, 72, 134–146.
513. Jennings, H. M., Thomas, J. J., Gevrenov, J. S., Constantinides, G., & Ulm, F. J. (2007). A multi-technique investigation of the nanoporosity of cement paste. *Cement and Concrete Research*, 37(3), 329–336.
514. Jensen, O. M., & Hansen, P. F. (1996). Autogenous deformation and change of the relative humidity in silica fume-modified cement paste. *ACI Materials Journal*, 93, 539–543.
515. Jensen, O. M., & Hansen, P. F. (1999). Influence of temperature on autogenous deformation and relative humidity change in hardening cement paste. *Cement and Concrete Research*, 29, 567–575.
516. Jensen, O. M., & Hansen, P. F. (2001). Autogenous deformation and RH-change in perspective. *Cement and Concrete Research*, 1859–1865.
517. Jirásek, M. (2000). Comparative study on finite elements with embedded cracks. *Computer Methods in Applied Mechanics and Engineering*, 188, 307–330.
518. Jirásek, M. (2007). Nonlocal damage mechanics. *Revue européenne de génie civil*, 11, 993–1021.
519. Jirásek, M. (2011). Damage and smeared crack models. In G. Hofstetter & G. Meschke (Eds.), *Numerical modeling of concrete cracking* (pp. 1–50). Berlin: Springer.
520. Jirásek, M., & Bauer, M. (2012). Numerical aspects of the crack band approach. *Computers and Structures*, 110–111, 60–78.

521. Jirásek, M., & Bažant, Z. P. (2002). *Inelastic analysis of structures*. Chichester: Wiley.
522. Jirásek, M., & Havlásek, P. (2014). Accurate approximations of concrete creep compliance functions based on continuous retardation spectra. *Computers and Structures*, *135*, 155–168.
523. Jirásek, M., & Havlásek, P. (2014). Microprestress-solidification theory of concrete creep: Reformulation and improvement. *Cement and Concrete Research*, *60*, 51–62.
524. Jonasson, J. E., & Hedlund, H. (2000). An engineering model for creep and shrinkage in high performance concrete. *Shrinkage of concrete, shrinkage*, RILEM Proceedings (pp. 507–529).
525. Jones, H. R. N. (2000). *Radiation heat transfer*. Oxford: Oxford University Press.
526. Jönson, B., Nonat, A., Labbez, C., Cabane, B., & Wennerström, H. (2005). Controlling the cohesion of cement paste. *Langmuir*, *21*, 9211–9221.
527. Jönson, B., Wennerström, H., Nonat, A., & Cabane, B. (2004). Onset of cohesion in cement paste. *Langmuir*, *20*, 6702–6709.
528. JRA. (2002). *Specifications for highway bridges with commentary*. Concrete (in Japanese), Technical report, Japan Road Association (JRA): Part III.
529. JSCE. (1991). Standard specification for design and construction of concrete structures (in Japanese), Technical report, Japan Society of Civil Engineers (JSCE).
530. Kachanov, L. M. (1958). Time of the rupture process under creep conditions. *Izvestija Akademii Nauk SSSR, Otdelenie Techniceskich Nauk*, *8*, 26–31.
531. Kachanov, M. (1982). A microcrack model of rock inelasticity-part I. Frictional sliding on microcracks. *Mechanics of Materials*, *1*, 19–41.
532. Kada-Benameur, H., Wirquin, E., & Duthoit, B. (2000). Determination of apparent activation energy of concrete by isothermal calorimetry. *Cement and Concrete Research*, *30*(2), 301–305.
533. Kalifa, P., Menneteau, F., & Quenard, D. (2000). Spalling and pore pressure in HPC at high temperatures. *Cement and Concrete Research*, *30*, 1915–1927.
534. Kanema, M., de Morais, M. V. G., Noumowé, A., Gallias, J. L., & Cabrillac, R. (2007). Experimental and numerical studies of thermo-hydrous transfers in concrete exposed to high temperature. *Heat and Mass Transfer*, *44*, 149–164.
535. Kanit, T., Forest, S., Galliet, I., Mounoury, V., & Jeulin, D. (2003). Determination of the size of the representative volume element for random composites: Statistical and numerical approach. *International Journal of Solids and Structures*, *40*, 3647–3679.
536. Karush, W. (1939). Minima of functions of several variables with inequalities as side conditions, Master's thesis, Department of Mathematics, University of Chicago.
537. Kaxiras, E. (2003). *Atomic and electronic structure of solids*. New York: Cambridge University Press.
538. Keeton, J. R. (1965). *Study of creep in concrete, Technical report R333-I, R333-II, R333-III*. Naval Civil Engineering Laboratory, Port Hueneme, California: U.S.
539. Kemeny, I. M., & Cook, N. G. W. (1987). Crack models for the failure of rock under compression. In C. S. Desai (Ed.), *Proceedings of the 2nd International Conference on Constitutive Laws for Engineering Materials* (Vol. 2, pp. 879–887). New York: Elsevier Science Publishing Co.
540. Khaliq, W., & Kodur, V. (2011). Thermal and mechanical properties of fibre reinforced high performance self-consolidating concrete at elevated temperatures. *Cement and Concrete Research*, *41*, 1112–1122.
541. Khazanovich, L. (1998). Age-adjusted effective modulus method for time-dependent loads. *Journal of Engineering Mechanics, ASCE*, *116*, 2784–2789.
542. Khennane, A., & Baker, G. (1992). Thermo-plasticity models for concrete under varying temperature and biaxial stress. *Proceedings of the Royal Society A*, *439*, 59–80.
543. Khoury, G. (1995). Strain component of nuclear-reactor-type concretes during first heating cycle. *Nuclear Engineering and Design*, *156*, 313–321.
544. Khoury, G. A., Grainger, B. N., & Sullivan, P. J. A. (1985). Transient thermal strain of concrete: Literature review, conditions within specimen and behaviour of individual constituents. *Magazine of Concrete Research*, *37*, 131–144.

545. Kim, K.-T., & Bažant, Z. P. (2014). Creep design aid: Open-source website program for concrete creep and shrinkage prediction. *ACI Materials Journal*, 111(4), 423–432.
546. Kimishima, H., & Kitahara, H. (1964). *Creep and creep recovery of mass concrete*, Technical report C-64001. Tokyo, Japan: Central Research Institute of Electric Power Industry.
547. Kirane, K., & Bažant, Z. P. (2015). Microplane damage model for fatigue of quasibrittle materials: Sub-critical crack growth, lifetime and residual strength. *International Journal of Fatigue*, 70, 93–105.
548. Kirane, K., Su, Y., & Bažant, Z. P. (2015). Strain-rate dependent microplane model for high-rate comminution of concrete under impact based on kinetic energy release theory. *Proceedings of the Royal Society A*, 20150535, 1–8.
549. Klopfer, H. (1974). *Wassertransport durch Diffusion in Feststoffen*. Wiesbaden, Germany: Bauverlag.
550. Klute, A. (1952). A numerical method for solving the flow equation for water in unsaturated material. *Soil Science*, 73, 105–116.
551. Komendant, G. J., Polivka, M., & Pirtz, D. (1976). Study of concrete properties for prestressed concrete reactor vessels. Part 2: Creep and strength characteristics of concrete at elevated temperatures, Technical report UC SESM 76-3, Department of Civil Engineering, University of California, Berkeley, California.
552. Kovler, K. (1995). Shock of evaporative cooling of concrete in hot dry climates. *ACI Concrete International*, 17, 65–69.
553. Krischer, O. (1942). Der Wärme und Stoffaustausch im Trocknungsgut. *VDI - Forschungsheft*, 415, 1–22.
554. Kucharczyková, B., Daněk, P., Kocáb, D., & Misák, P. (2017). Experimental analysis on shrinkage and swelling in ordinary concrete. *Advances in Materials Science and Engineering* (3027301).
555. Kuhn, H. W., & Tucker, A. W. (1951). Nonlinear programming. In J. Neyman (Ed.), *Proceedings of the Second Berkeley Symposium on Mathematical Statistics and Probability* (pp. 481–492). University of California Press, Berkeley and Los Angeles.
556. Künzel, H. M. (1995). Simultaneous heat and moisture transport in building components, Technical report, Fraunhofer Institute of Building Physics, IRB Verlag, Stuttgart.
557. Křístek, V., & Bažant, Z. P. (1987). Shear lag effect and uncertainty in concrete box girder creep. *Journal of Structural Engineering, ASCE*, 113, 557–574.
558. Křístek, V., Bažant, Z. P., Zich, M., & Kohoutková, A. (2006). Box girder deflections: Why is the initial trend deceptive? *ACI Concrete International*, 28, 55–63.
559. Křístek, V., & Kohoutková, A. (2002). Serviceability limit state of prestressed concrete bridges. In *Concrete Structures in the 21st Century, Proceedings of the 1st fib Congress 2002, Osaka* (Vol. 2, pp. 47–48).
560. Křístek, V., & Vitek, J. L. (1999). Deformations of prestressed concrete structures—measurement and analysis. In *Proceedings of fib Symposium “Structural Concrete - The Bridge Between People”*, fib and ČBS, Prague (pp. 463–469).
561. Křístek, V., Vráblik, L., Bažant, Z. P., Li, G.-H., & Yu, Q. (2008). Misprediction of long-time deflections of prestressed box girders: Causes, remedies and tendon lay-out effect. In T. Tanabe, K. Sakata, H. Mihashi, R. Sato, K. Maekawa, & H. Nakamura (Eds.), *Creep, shrinkage and durability mechanics of concrete and concrete structures* (pp. 1291–1295). Boca Raton-London: CRC Press/Balkema, Taylor & Francis Group.
562. Lackner, R., Hellmich, C., & Mang, H. A. (2002). Constitutive modeling of cementitious materials in the framework of chemoplasticity. *International Journal for Numerical Methods in Engineering*, 53(10), 2357–2388.
563. Lambotte, H., & Mommens, A. (1976). *L'évolution du fluage du béton en fonction de sa composition, du taux de contrainte et de l'âge*, Groupe de travail GT 22. Brussels: Centre national de recherches scientifiques pour l'industrie cimentière.
564. Langmuir, I. (1918). The adsorption of gases on plane surfaces of glass, mica and platinum. *Journal of the American Chemical Society*, 40, 1361–1403.

565. Lavergne, F., Sab, K., Sanahuja, J., Bornert, M., & Toulemonde, C. (2016). Homogenization schemes for aging linear viscoelastic matrix-inclusion composite materials with elongated inclusions. *International Journal of Solids and Structures*, *80*, 545–560.
566. Lazić, J. D., & Lazić, V. B. (1984). Generalized age-adjusted effective modulus method for creep in composite beam structures. *Part I-Theory. Cement and Concrete Research*, *14*, 819–932.
567. Lazić, J. D., & Lazić, V. B. (1985). Generalized age-adjusted effective modulus method for creep in composite beam structures. *Part II-Applications. Cement and Concrete Research*, *15*, 1–12.
568. Le Chatelier, H. L. (1887). Recherches expérimentales sur la constitution des mortiers hydrauliques, Dissertation of doctor of physical and chemical science, École des Mines, Paris.
569. Le, J.-L., & Bažant, Z. P. (2011). Unified nano-mechanics based probabilistic theory of quasi-brittle and brittle structures: II. Fatigue crack growth, lifetime and scaling. *Journal of the Mechanics and Physics of Solids*, *59*, 1322–1337.
570. Lee, K. M., Lee, H. K., Lee, S. H., & Kim, G. Y. (2006). Autogeneous shrinkage of concrete containing granulated blast-furnace slag. *Cement and Concrete Research*, *36*, 1279–1285.
571. Legendre, A. M. (1806). Nouvelles méthodes pour la détermination des orbites des comètes, Paris.
572. Lewis, R. W., & Schrefler, B. A. (1998). *The finite element method in the static and dynamic deformation and consolidation of porous media* (2nd ed.). Chichester: Wiley.
573. L'Hermite, R. (1959). What do we know about the plastic deformation and creep of concrete? *RILEM Bulletin*, *1*, 21–51.
574. L'Hermite, R. (1961). Les déformations du béton. *Cahiers de la recherche I.T.B.T.P.*, *IX*(12).
575. L'Hermite, R. (1961). Que savons nous de la déformation plastique et du fluage du béton? *Annales de l'ITBTP*, *IX*(117).
576. L'Hermite, R. G., & Mamillan, M. (1968). Further results of shrinkage and creep tests. In *Proceedings of the International Conference on the Structure of Concrete* (pp. 423–433). London: Cement and Concrete Association.
577. L'Hermite, R. G., & Mamillan, M. (1968). Retrait et fluage des bétons. *Annales de l'Inst. Techn. du Bâtiment et des Travaux Publics (Supplément)*, *21*(249), 1334.
578. L'Hermite, R. G., & Mamillan, M. (1969). Nouveaux résultats et récentes études sur le fluage du béton. *Materials and Structures*, *2*, 35–41.
579. L'Hermite, R. G., & Mamillan, M. (1970). Influence de la dimension des éprouvettes sur le retrait. *Annales de l'Inst. Techn. du Bâtiment et des Travaux Publics (Supplément)*, *23*(270), 5–6.
580. L'Hermite, R. G., Mamillan, M., & Lefèvre, C. (1965). Nouveaux résultats de recherches sur la déformation et la rupture du béton. *Annales de l'Institut Techn. du Bâtiment et des Travaux Publics*, *18*(207–208), 323–360.
581. Li, C., Caner, F. C., Chau, V. T., & Bažant, Z. P. (2017). Spherocylindrical microplane constitutive model for shale and other anisotropic rocks. *Journal of the Mechanics and Physics of Solids*, *103*, 155–178.
582. Liu, Z.-G., Swartz, S. E., Hu, K. K., & Kan, Y.-C. (1989). Time-dependent response and fracture of plain concrete beams. In S. P. Shah, S. E. Swartz, & B. Barr (Eds.), *Fracture of concrete and rock: Recent developments* (pp. 577–586). London: Elsevier Applied Science.
583. Luckner, L., van Genuchten, M. T., & Nielsen, D. R. (1989). A consistent set of parametric models for the two-phase flow of immiscible fluids in the subsurface. *Water Resources Research*, *25*, 2187–2193.
584. Luikov, A. V. (1966). *Heat and mass transfer in capillary-porous bodies*. Oxford: Pergamon Press.
585. Luikov, A. V., & Mikhailov, Y. A. (1966). *Theory of energy and mass transfer*. Englewood Cliffs: Prentice Hall.
586. Lura, P., Jensen, O. M., & van Breugel, K. (2003). Autogenous shrinkage in high-performance cement paste: An evaluation of basic mechanisms. *Cement and Concrete Research*, *33*, 223–232.

587. Lykov, A. V. (1954). *Javlenija perenosa v kapillarnoporistichykh telach*. Moscow: Gosenergoizdat.
588. Lykow, A. W. (1958). *Transporterscheinungen in kapillarporösen Körpern*. Berlin: Akademie-Verlag.
589. Madsen, H., & Bažant, Z. P. (1983). Uncertainty analysis of creep and shrinkage effects in concrete structures. *ACI Journal*, 80, 116–127.
590. Maekawa, K., & El-Kashif, K. F. (2004). Cyclic cumulative damaging of reinforced concrete in post-peak regions. *Journal of Advanced Concrete Technology*, 2, 257–271.
591. Magura, D. D., Sozen, M. A., & Siess, C. P. (1964). A study of stress relaxation in prestressing reinforcement. *PCIJ*, 9, 13–57.
592. Mainguy, M., & Coussy, O. (2000). Propagation fronts during calcium leaching and chloride penetration. *Journal of Engineering Mechanics, ASCE*, 126, 250–257.
593. Mainguy, M., Coussy, O., & Baroghel-Bouny, V. (2001). Role of air pressure in drying of weakly permeable materials. *Journal of Engineering Mechanics, ASCE*, 127, 582–592.
594. Mainguy, M., Ulm, F.-J., & Heukamp, F. H. (2001). Similarity properties of demineralization and degradation of cracked porous materials. *International Journal of Solids and Structures*, 38, 7079–7100.
595. Malani, A., Ayappa, K. G., & Murad, S. (2009). Influence of hydrophilic surface specificity on the structural properties of confined water. *Journal of Physical Chemistry*, 113, 13825–13839.
596. Malcolm, D. J., & Redwood, R. G. (1970). Shear lag in stiffened box girders. *Journal of the Structural Division, ASCE*, 96, 1403–1419.
597. Mal'mejster, A. K. (1957). *Uprugost' i neuprugost' betona (Elasticity and inelasticity of concrete)*. Nauk Latvian SSR, Riga: Izdatel'stvo Akad.
598. Mamillan, M. (1959). A study of the creep of concrete. *RILEM Bulletin*, 3, 15–33.
599. Mamillan, M. (1960). Évolution du fluage et des propriétés du bétons. *Annales de l'Inst. Techn. du Bâtiment et des Travaux Publiques*, 13, 1017–1052.
600. Mamillan, M. (1969). Évolution du fluage et des propriétés du bétons. *Annales de l'Inst. Techn. du Bâtiment et des Travaux Publiques*, 21, 1033.
601. Mamillan, M., & Lelan, M. (1968). Le fluage du béton. *Annales de l'Inst. Techn. du Bâtiment et des Travaux Publiques (Supplément)*, 21, 847–850.
602. Mamillan, M., & Lelan, M. (1970). Le fluage du béton. *Annales de l'Inst. Techn. du Bâtiment et des Travaux Publiques (Supplément)*, 23, 7–13.
603. Mandel, J. (1957). Sur les corps viscoélastiques dont les propriétés dépendent de l'âge. *Comptes Rendus de l'Académie des Sciences Paris*, 247, 175–178.
604. Mandel, J. (1964). *The statistical analysis of experimental data*. New York: Dover.
605. Mandel, J. (1967). Application de la thermodynamique aux milieux viscoélastiques à élasticité nulle ou restreinte. *Comptes Rendus de l'Académie des Sciences Paris*, 264, 133–134.
606. Mandel, J. (1974). Un principe de correspondance pour les corps viscoélastiques linéaires vieillissants. In J. Hult (Ed.), *Mechanics of visco-elastic media and bodies*. Berlin: Springer.
607. Maney, G. A. (1941). Concrete under sustained working loads: Evidence that shrinkage dominates time yield. *Proceedings of the American Society for Testing and Materials*, 41, 1021–1030.
608. Manjure, P. Y. (2001). Rehabilitation/strengthening of Zuari bridge on NH-15 in Goa. *Indian Roads Congress*, 490, 471.
609. Maslov, G. N. (1940). Thermal stress states in concrete masses, with consideration of concrete creep (in Russian). *Izvestia Nauchno-Issledovatel'skogo Instituta Gidrotekhniki, Gosenergoizdat*, 28, 175–188.
610. Masoero, E., Gado, E. D., Pellenq, R. J.-M., Ulm, F.-J., & Yip, S. (2012). Nanostructure and nanomechanics of cement: Polydisperse colloidal packing. *Physical Review Letters*, 109, 155503-1–155503-4.
611. Masoero, E., Gado, E. D., Pellenq, R. J.-M., Yip, S., & Ulm, F.-J. (2014). Nano-scale mechanics of colloidal C-S-H gels. *Soft Matter*, 10, 491–499.
612. Maxwell, J. C. (1867). On the dynamical theory of gases. *Philosophical Transactions of the Royal Society London*, 157, 49–88.

613. Mazars, J. (1984). *Application de la mécanique de l'endommagement au comportement non linéaire et à la rupture du béton de structure*. Thèse de Doctorat d'Etat: Université Paris VI, France.
614. Mazzotti, C., & Savoia, M. (2003). Nonlinear creep damage model for concrete under uniaxial compression. *Journal of Engineering Mechanics, ASCE*, 129, 1065–1075.
615. McDonald, B., Saraf, V., & Ross, B. (2003). A spectacular collapse: The Koror-Babeldaob (Palau) balanced cantilever prestressed, post-tensioned bridge. *The Indian Concrete Journal*, 77, 955–962.
616. McDonald, D. B., & Roper, H. (1993). Accuracy of prediction models for shrinkage of concrete. *ACI Materials Journal*, 90, 265–271.
617. McDonald, J. E. (1975). *Time-dependent deformation of concrete under multiaxial stress conditions*, Technical report C-75-4. Army Engineer Waterways Experimental Station, Vicksburg, Miss: U.S.
618. McDowell, D. L. (2008). Viscoplasticity of heterogeneous metallic materials. *Materials Science and Engineering: R: Reports*, 62, 67–123.
619. McHenry, D. (1943). A new aspect of creep in concrete and its application to design. *Proceedings of the American Society for Testing and Materials*, 43, 1069–1086.
620. McKay, M. D., Beckman, R. J., & Conover, W. J. (1979). A comparison of three methods for selecting values of input variables in the analysis of output from a computer code. *Technometrics*, 21, 239–245.
621. McKay, M. D., Conover, W. J., & Beckman, R. J. (1976). *Report on the application of statistical techniques to the analysis of computer code*, Technical report LA-NUREG-6526-MS, NRC-4. New Mexico: Los Alamos Scientific Laboratory.
622. McMillan, F. R. (1915). Shrinkage and time effects in reinforced concrete. *Studies in Engineering. Bulletin* (Vol. 3), University of Minnesota, 41 pp.
623. McMillan, F. R. (1916). Method of designing reinforced concrete slabs, discussion of A.C. Janni's paper. *Transactions ASCE*, 80, 1738.
624. Meftah, F., Pont, S. D., & Schrefler, B. A. (2012). A three-dimensional staggered finite element approach for random parametric modeling of thermo-hygral coupled phenomena in porous media. *International Journal of Numerical and Analytical Methods in Geomechanics*, 36, 574–596.
625. Mehmel, A., & Kern, E. (1962). Elastische und plastische Stauchungen von Beton infolge Druckschwell- und Standbelastung. *Deutscher Ausschuss für Stahlbeton* (Vol. 153). W. Ernst: Berlin.
626. Meyer, C. A., McClintock, R. B., Silvestri, C. J., & Spencer, R. C. (Eds.). (1993). *ASME Steam Tables: Thermodynamic and Transport Properties of Steam*. New York: ASME Press.
627. Meyer, O. (1874). Zur Theorie der inneren Reibung. *Zeitschrift für reine und angewandte Mathematik*, 78, 130–135.
628. Meyers, S. L. (1951). How temperature and moisture changes may affect the durability of concrete. *Rock Products*, 153–157.
629. Mikhail, R. S., Abo-El-Enein, S. A., & Abd-El-Khalik, M. (1975). Hardened slag cement pastes of various porosities. II. Water and nitrogen adsorption. *Journal of Applied Chemistry and Biotechnology*, 25, 835–847.
630. Mindeguia, J.-C. (2009). Contribution expérimentale à la compréhension des risques d'instabilité thermique des bétons, Ph.D. thesis, UPPA.
631. Mindeguia, J.-C., Pimienta, P., Carré, H., & Borderie, C. L. (2013). Experimental analysis of concrete spalling due to fire exposure. *European Journal of Environmental and Civil Engineering*, 17, 453–466.
632. Mindess, S. (1985). Rate of loading effects on the fracture of cementitious materials. In S. P. Shah (Ed.), *Application of fracture mechanics to cementitious composites* (pp. 617–636). Dordrecht: Martinus Nijhoff Publishers.
633. Mindess, S., Young, J. F., & Darwin, D. (2003). *Concrete* (2nd ed.). Englewood Cliffs: Prentice Hall.

634. Miyazawa, S., & Tazawa, E. (2001). Prediction model for shrinkage of concrete including autogenous shrinkage. In F.-J. Ulm, Z. P. Bažant, & F. H. Wittmann (Eds.), *Creep, shrinkage and durability mechanics of concrete and other quasi-brittle materials* (pp. 735–740). Amsterdam: Elsevier.
635. Monlouis-Bonnaire, J. P. (2003). Numerical modeling of coupled air-water-salt transfers in cementitious materials and terracotta (in French), Toulouse.
636. Moonen, P. (2009). Continuous-discontinuous modelling of hygrothermal damage processes in porous media, Ph.D. thesis, Delft University of Technology.
637. Mori, J., & Tanaka, K. (1973). Average stress in matrix and average elastic energy of materials with misfitting inclusions. *Acta Metallurgica*, 21, 571.
638. Müller, H. S. (1993). Considerations on the development of a database on creep and shrinkage tests. In Z. P. Bažant & I. Carol (Eds.), *Creep and shrinkage of concrete* (pp. 859–872). London: E & FN Spon.
639. Müller, H. S., Anders, I., Breiner, R., & Vogel, M. (2013). Concrete: Treatment of types and properties in fib model code 2010. *Structural Concrete*, 14, 320–334.
640. Müller, H. S., Bažant, Z. P., & Kuttner, C. H. (1999). *Data base on creep and shrinkage tests, RILEM Subcommittee 5 report RILEM TC 107-CSP*. Paris: RILEM.
641. Müller, H. S., & Hilsdorf, H. K. (1990). Evaluation of the time-dependent behaviour of concrete. Summary report on the work of the General Task Force Group 9, bulletin d'information no. 199, Comité Euro-International du Béton (CEB), Lausanne.
642. Mullick, A. K. (1972). Effect of stress history on the microstructure and creep properties of maturing concrete, Ph.D. thesis, University of Calgary, Alberta, Canada.
643. Multon, S., & Toutlemonde, F. (2006). Effect of applied stresses on alkali-silica reaction-induced expansions. *Cement and Concrete Research*, 36, 912–920.
644. Murata, J. (1965). Studies of the permeability of concrete. *Bulletin RILEM*, 29, 47–54.
645. Nasser, K. W., & Neville, A. M. (1965). Creep of concrete at elevated temperatures. *ACI Journal*, 62, 1567–1579.
646. Navrátil, J. (1998). The use of model B3 extension for the analysis of bridge structures (in Czech). *Stavební obzor*, 4, 110–116.
647. Nawy, E. G. (2006). *Prestressed concrete: A fundamental approach* (5th ed.). Upper Saddle River, New Jersey: Pearson Prentice Hall.
648. Nechnech, W., Meftah, F., & Reynouard, J. M. (2002). An elasto-plastic damage model for plain concrete subjected to high temperatures. *Engineering Structures*, 24(5), 597–611. <http://linkinghub.elsevier.com/retrieve/pii/S0141029601001250>.
649. Needleman, A. (1987). A continuum model for void nucleation by inclusion debonding. *Journal of Applied Mechanics, ASME*, 54, 525–531.
650. Neuenschwander, M., Knobloch, M., & Fontana, M. (2016). Suitability of the damage-plasticity modelling concept for concrete at elevated temperatures: Experimental validation with uniaxial cyclic compression tests. *Cement and Concrete Research*, 79, 57–75.
651. Neuner, M., Gammitzer, P., & Hofstetter, G. (2017). An extended damage plasticity model for shotcrete: Formulation and comparison with other shotcrete models. *Materials*, 10(1), 82. <http://www.mdpi.com/1996-1944/10/1/82>.
652. Neville, A. M. (1970). *Creep of concrete: Plain, reinforced and prestressed*. Amsterdam: North-Holland.
653. Neville, A. M. (1997). *Properties of concrete* (4th ed.). New York: Wiley.
654. Neville, A. M., & Hirst, G. A. (1978). Mechanism of cyclic creep of concrete. In *Douglas McHenry International Symposium on Concrete and Concrete Structures* (pp. 83–101). American Concrete Institute (ACI SP-55).
655. Ngab, A. S., Nilson, A. H., & Slate, F. O. (1981). Shrinkage and creep of high strength concrete. *Journal of the American Concrete Institute*, 78, 255–261.
656. Nicolas, P. (1992). Modélisation mathématique et numérique des transferts d'humidité en milieux poreux, Ph.D. thesis, Université Paris VI.
657. Nielsen, C. V., Pearce, C. J., & Bicanic, N. (2004). Improved phenomenological modeling of transient thermal strains for concrete at high temperatures. *Computers and Concrete*, 1, 189–204.

658. Nielsen, L. F. (1970). Kriechen und Relaxation des Betons. *Beton- und Stahlbetonbau*, 65, 272–275.
659. Nilson, A. U., & Monteiro, P. J. M. (1993). Concrete: A three phase material. *Cement and Concrete Research*, 23, 147–151.
660. Nilson, A. H. (1987). *Design of prestressed concrete* (2nd ed.). New York: Wiley.
661. Nilsson, L. O. (1980). Hygroscopic moisture in concrete – drying, measurements related material properties, Ph.D. thesis, Lund University.
662. Nordby, G. M. (1967). Fatigue of concrete—a review of research. *Journal of the American Concrete Institute*, 30, 191–219.
663. Odler, I., Hagymassy, J., Yudenfreund, M., Hanna, K. M., & Brunauer, S. (1972). Pore structure analysis by water vapor adsorption. IV. Analysis of hydrated Portland cement pastes of low porosity. *Journal of Colloid and Interface Science*, 38, 265–276.
664. Oliver, J. (1989). A consistent characteristic length for smeared cracking models. *International Journal for Numerical Methods in Engineering*, 28, 461–474.
665. Özbolt, J., Li, Y.-J., & Kožar, I. (2001). Microplane model for concrete with relaxed kinematic constraint. *International Journal of Solids and Structures*, 38, 2683–2711.
666. Özbolt, J., & Reinhardt, H.-W. (2001). Sustained loading strength of concrete modelled by creep-cracking interaction. *Otto Graf Journal, Annual Journal on Research and Testing of Materials*, 12, 9–20.
667. Özbolt, J., & Reinhardt, H.-W. (2005). Rate dependent fracture of notched plain concrete beams. In G. Pijaudier-Cabot, B. Gérard, & P. Acker (Eds.), *Proceedings of the 7th International Conference CONCREEP-7, Nantes* (pp. 57–62).
668. Pandolfi, A., & Taliercio, A. (1998). Bounding surface models applied to fatigue of plain concrete. *Journal of Engineering Mechanics, ASCE*, 124, 556–564.
669. Paris, P. C., & Erdogan, F. (1963). Critical analysis of propagation laws. *Journal of Basic Engineering*, 85, 528–534.
670. Parker, D. (1996). Tropical overload. *New Civil Engineer*.
671. Pauw, A. (1960). Static modulus of elasticity of concrete as affected by density. *Journal of the American Concrete Institute*, 32, 679–687.
672. Pedersen, C. R. (1990). Combined heat and moisture transfer in building constructions, Ph.D. thesis, Technical University of Denmark.
673. Pellenq, R. J.-M., Kushima, A., Shashavari, R., Vliet, K. J. V., Buehler, M. J., Yip, S., et al. (2010). A realistic molecular model of cement hydrates. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 16102–17107.
674. Pentala, V., & Rautanen, T. (1990). Microporosity, creep and shrinkage of high-strength concrete. In W. T. Heston (Ed.), *2nd International Symposium on High-Strength Concrete* (ACI SP 121-21, pp. 409–432).
675. Perre, P., & Degiovanni, A. (1990). Simulation par volumes finis des transferts couplés en milieux poreux anisotropes: séchage du bois a basse et a haute température. *International Journal of Heat and Mass Transfer*, 33(11), 2463–2478. <http://linkinghub.elsevier.com/retrieve/pii/001793109090004E>.
676. Persson, B. (1996). Hydration and strength of high performance concrete. *Advanced Cement Based Materials*, 3, 107–123.
677. Persson, B. (1997). Long-term effect of silica fume on the principal properties of low-temperature-cured ceramics. *Cement and Concrete Research*, 27, 1667–1680.
678. Persson, B. (2001). A comparison between mechanical properties of self-compacting concrete and the corresponding properties of normal concrete. *Cement and Concrete Research*, 31, 193–198.
679. Persson, B. (2002). Eight-year exploration of shrinkage in high-performance concrete. *Cement and Concrete Research*, 32, 1229–1237.
680. Persson, B. (2004). Fire resistance of self-compacting concrete. *Materials and Structures*, 37, 575–584.
681. Pesavento, F. (2017). Private communication by email with M. Jirásek, 5 June 2017.

682. Pesavento, F., Gawin, D., & Schrefler, B. A. (2008). Modelling cementitious materials as multiphase porous media: Theoretical framework and applications. *Acta Mechanica*, 201, 313–339.
683. Pfeil, W. (1981). Twelve years monitoring of long span prestressed concrete bridge. *Concrete International*, 3, 79–84.
684. Phan, L., & Carino, N. (2002). Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures. *ACI Materials Journal*, 99(1), 54–66. http://80.apps.webofknowledge.com/dialog.cvut.cz/full_record.do?product=WOS&search_mode=GeneralSearch&qid=9&SID=Z1xJYsIL39jJihgPGew&page=1&doc=3.
685. Phan, L. T. (2008). Pore pressure and explosive spalling in concrete. *Materials and Structures*, 41, 1623–1632.
686. Phan, L. T., & Carino, N. J. (1998). Review of mechanical properties of HSC at elevated temperature. *Journal of Materials in Civil Engineering*, 10, 58–64.
687. Philips, R. (2001). *Crystals, defects and microstructures: Modeling across scales*. New York: Cambridge University Press.
688. Picandet, V., Khelidj, A., & Bastian, G. (2001). Effect of axial compressive damage on gas permeability of ordinary and high-performance concrete. *Cement and Concrete Research*, 31(11), 1525–1532.
689. Pichler, C., & Lackner, R. (2008). A multiscale creep model as basis for simulation of early-age concrete behavior. *Computers and Concrete*, 5, 295–328.
690. Pickett, G. (1942). The effect of change in moisture content on the creep of concrete under a sustained load. *Journal of the American Concrete Institute*, 38, 333–355.
691. Pickett, G. (1946). Shrinkage stresses in concrete. *Journal of the American Concrete Institute*, 47(165–204), 361–397.
692. Pietruszczak, S., & Mróz, Z. (1981). Finite element analysis of deformation of strain-softening materials. *International Journal for Numerical Methods in Engineering*, 17, 327–334.
693. Pihljavaara, S. E. (1965). A review of the research on drying of concrete. *Bulletin RILEM (Paris)*, 27, 61–63.
694. Pilz, M. (1997). The collapse of the KB bridge in 1996, Ph.D. thesis, Imperial College London.
695. Pilz, M. (1999). Untersuchungen zum Einsturz der KB Brücke in Palau. *Beton- und Stahlbetonbau*, (94/5).
696. Pirtz, D. (1968). Creep characteristics of mass concrete for Dworshak Dam. *Structural Engineering Laboratory 65-2*, University of California, Berkeley.
697. Polivka, M., Pirtz, D., & Adams, R. F. (1964). Studies of creep in mass concrete. In *Symposium on creep of concrete* (pp. 257–285). American Concrete Institute (ACI SP-9).
698. Poole, J. L., Riding, K. A., Folliard, K. J., Juenger, M. C. G., & Schindler, A. K. (2007). Methods for calculating activation energy for Portland cement. *ACI Materials Journal*, 104, 86–94.
699. Popovics, S. (1986). A model for deformations of two-phase composites under load. In Z. P. Bažant (Ed.), *Proceedings of the International Symposium on Creep and Shrinkage of Concrete: Mathematical Modeling, RILEM, Northwestern University, Evanston, Ill* (pp. 733–742).
700. Powers, T. C. (1947). A discussion of cement hydration in relation to the curing of concrete. *Proceedings of the Highway Research Board*, 27, 178–188.
701. Powers, T. C. (1955). Hydraulic pressure in concrete. *Proceedings of the American Society of Civil Engineers*, 81. Paper 742.
702. Powers, T. C. (1965). Mechanism of shrinkage and reversible creep of hardened cement paste. In *Proceedings of the International Conference on the Structure of Concrete* (pp. 319–344). London: Cement and Concrete Association.
703. Powers, T. C. (1966). Some observations on the interpretation of creep data. *Bulletin RILEM (Paris)*, 381.
704. Powers, T. C. (1968). The thermodynamics of volume change and creep. *Materials and Structures*, 1, 487–507.

705. Powers, T. C., & Brownyard, T. L. (1946). Studies of the physical properties of hardened Portland cement paste. *ACI Journal, Proceedings*, 42, 101–132, 249–366, 469–504.
706. Powers, T. C., & Brownyard, T. L. (1947). Studies of the physical properties of hardened Portland cement paste. *ACI Journal, Proceedings*, 43, 549–602, 669–712, 854–880, 933–992.
707. Powers, T. C., Copeland, L. E., Hayes, J. C., & Mann, H. M. (1954). Permeability of Portland cement paste. *Journal of the American Concrete Institute*, 51, 285–298.
708. Poyet, S., Sellier, A., Capra, B., Thèvenin-Foray, G., Torrenti, J.-M., Tournier-Cognon, H., et al. (2006). Influence of water on alkali-silica reaction: Experimental study and numerical simulations. *Journal of Materials in Civil Engineering*, 18, 588–596.
709. Prokopovich, I. E. (1963). *Effects of long-term processes on stress and deformation state in structures*. Moscow: Gosstroyizdat. (in Russian).
710. Prokopovich, I. E. (1969). Consideration of creep and shrinkage in analysis of reinforced concrete structures (in Russian). *Beton i Zhelezobeton*, 15.
711. Purkiss, J. A., & Dougill, J. W. (1973). Apparatus for compression tests on concrete at high temperatures. *Magazine of Concrete Research*, 25, 102–108.
712. Radjy, F., & Richards, C. W. (1973). Effect of curing and heat treatment history on the dynamic response of cement paste. *Cement and Concrete Research*, 3, 7–21.
713. Radjy, F., Sellevold, E. J., & Hansen, K. (2003). Isosteric vapor pressure—temperature data for water sorption in hardened cement paste: Enthalpy, entropy and sorption isotherms at different temperatures, Technical report BYG DTU R-057, Technical University of Denmark.
714. Rahimi-Aghdam, S., Bažant, Z. P., & Caner, F. C. (2017). Diffusion-controlled and creep-mitigated ASR damage via microplane model: II. Material degradation, drying and verification. *Journal of Engineering Mechanics, ASCE*, 143, 04016109-1–04016109-10.
715. Rahimi-Aghdam, S., Bažant, Z. P., & Qomi, M. J. A. (2017). Cement hydration from hours to centuries controlled by diffusion through barrier shells of C-S-H. *Journal of the Mechanics and Physics of Solids*, 99, 211–224.
716. Raiffa, H., & Schlaifer, R. (1961). *Applied statistical decision theory*. Cambridge: Harvard University Press.
717. Rarick, R. L., Bhatti, J. W., & Jennings, H. M. (1995). Surface area measurement using gas sorption: Application to cement paste. In J. Skalny & S. Mindess (Eds.), *Materials science of concrete IV* (pp. 1–41). Westerville: The American Ceramic Society.
718. Rashid, Y. R. (1972). Nonlinear analysis of two-dimensional problems in concrete creep. *Journal of Applied Mechanics, ASME*, 39, 475–482.
719. Reinhardt, H. W. (1985). Tensile fracture of concrete at high rates of loading. In S. P. Shah (Ed.), *Application of fracture mechanics to cementitious composites* (pp. 559–592). Dordrecht: Martinus Nijhoff Publishers.
720. Reinhardt, H. W. (1986). Strain rate effects on the tensile strength of concrete as predicted by thermodynamic and fracture mechanics models. In S. Mindess & S. P. Shah (Eds.), *Cement-based composites: Strain rate effects on fracture* (pp. 1–14).
721. Reinhardt, H. W., Cornelissen, H. A. W., & Hordijk, D. A. (1986). Tensile tests and failure analysis of concrete. *Journal of Structural Engineering, ASCE*, 112, 2462–2477.
722. Reissner, E. (1946). Analysis of shear lag in box beams by the principle of minimum potential energy. *Quarterly of Applied Mathematics*, 4, 268–278.
723. Rice, J. R. (1968). Mathematical analysis in the mechanics of fracture. In H. Liebowitz (Ed.), *Fracture—an advanced treatise* (Vol. 2, pp. 191–308). New York: Academic Press.
724. Richards, L. A. (1931). Capillary conduction of liquids through porous mediums. *Journal of Applied Physics*, 1, 318–333.
725. Ricken, D. (1989). Ein einfaches Berechnungsverfahren für die eindimensionale, instationäre Wasserdampfdiffusion in mehrschichtigen Bauteilen, Ph.D. thesis, Universität Dortmund, Dortmund, Germany.
726. Rilem, T. C., & 119-TCE., (1997). Avoidance of thermal cracking in concrete at early ages. *Materials and Structures*, 30, 451–464.

727. Technical Committee, R. I. L. E. M., & 107., (1995). Guidelines for characterizing concrete creep and shrinkage in structural design codes or recommendations. *Materials and Structures*, 28, 52–55.
728. Risken, H. (1989). *The Fokker-Planck equation* (2nd ed.). New York: Springer.
729. Robson, C. J., Davie, C. T., & Gosling, P. D. (2010). Investigation into the form of the load-induced thermal strain model. *Computational modelling of concrete structures – proceedings of EURO-C 2010*. Leiden: CRC Press/Balkema.
730. Rodway, L. E., & Fedirko, W. M. (1989). Superplasticized high volume fly ash concrete. In *Proceedings of the Third International Conference on Fly Ash, Silica Fume, Slag and Natural Pozzolans, Trondheim, Norway* (pp. 98–112).
731. Roll, F. (1964). Long-time recovery of highly stressed concrete cylinders. *Symposium on creep of concrete* (pp. 95–114). American Concrete Institute (ACI SP-9).
732. Roncero, J. (1999). Effect of superplasticizers on the behavior of concrete in the fresh and hardened states: Implications for high performance concrete, Ph.D. thesis, UPC Barcelona.
733. Roscoe, R. (1950). Mechanical models for the representation of viscoelastic properties. *British Journal of Applied Physics*, 1, 171–173.
734. Ross, A. D. (1958). Creep of concrete under variable stress. *ACI Journal, Proceedings*, 54, 739–758.
735. Ross, C. A., & Kuennen, S. T. (1989). Fracture of concrete at high strain-rates. In S. P. Shah, S. E. Swartz, & B. Barr (Eds.), *Fracture of concrete and rock: Recent developments* (pp. 152–161). London: Elsevier Applied Science.
736. Rostásy, F. S., Teichen, K.-T., & Engelke, H. (1972). *Beitrag zur Klärung des Zusammenhanges von Kriechen und Relaxation bei Normal-beton, Technical report 139*. Otto-Graf Institute: University of Stuttgart, Stuttgart, Germany.
737. Rostásy, F. S., Thienel, K.-C., & Schütt, K. (1991). On prediction of relaxation of colddrawn prestressing wire under constant and variable elevated temperature. *Nuclear Engineering and Design*, 130, 221–227.
738. Rots, J. G. (1988). Computational modeling of concrete fracture, Ph.D. thesis, Delft University of Technology, Delft, The Netherlands.
739. Rougelot, T., Skoczylas, F., & Burlion, N. (2009). Water desorption and shrinkage in mortars and cement pastes: Experimental study and poromechanical model. *Cement and Concrete Research*, 39, 36–44.
740. Rousseeuw, R. J., & Leroy, A. M. (1987). *Robust regression and outlier detection*. New York: Wiley.
741. Ruetz, W. (1966). Das Kriechen des Zementsteins im Beton und seine Beeinflussung durch gleichzeitiges Schwinden. *Deutscher Ausschuss für Stahlbeton* (Vol. 183). Berlin: W. Ernst.
742. Ruetz, W. (1968). A hypothesis for the creep of hardened cement paste and the influence of simultaneous shrinkage. In *Proceedings of the International Conference on the Structure of Concrete* (pp. 365–387). London: Cement and Concrete Association.
743. Ruiz, J., Schindler, A., Rasmussen, R., Kim, P., & Chang, G. (2001). Concrete temperature modeling and strength prediction using maturity concepts in the FHWA HIPERPAV software. In *7th International Conference on Concrete Pavements, Orlando, Florida*.
744. Rüschi, H. (1968). Festigkeit und Verformung von unbewehrten Beton unter konstanter Dauerlast. *Deutscher Ausschuss für Stahlbeton* (Vol. 198). Berlin: W. Ernst & Sohn (See also *ACI Journal*, 57, 1–58 (1968)).
745. Rüschi, H., & Jungwirth, D. (1976). *Berücksichtigung der Einflüsse von Kriechen und Schwinden auf das Verhalten der Tragwerke*. Düsseldorf: Werner-Verlag.
746. Rüschi, H., Jungwirth, D., & Hilsdorf, H. (1973). Kritische Sichtung der Einflüsse von Kriechen und Schwinden des Betons auf das Verhalten der Tragwerke. *Beton- und Stahlbetonbau*, 68, 49–60, 76–86, 152–158.
747. Russell, H., & Burg, R. (1996). Test data on Water Tower Place concrete. In *International Workshop on High Performance Concrete*. Farmington Hills, Michigan: American Concrete Institute (ACI SP-159).

748. Sakata, K. (1993). Prediction of concrete creep and shrinkage. In Z. P. Bažant & I. Carol (Eds.), *Creep and shrinkage of concrete* (pp. 649–654). London: E & FN Spon.
749. Sakata, K., Tsubaki, T., Inoue, S., & Ayano, T. (2001). Prediction equations of creep and drying shrinkage for wide-ranged strength concrete. In F.-J. Ulm, Z. P. Bažant, & F. H. Wittmann (Eds.), *Creep, shrinkage and durability mechanics of concrete and other quasi-brittle materials* (pp. 753–758). Amsterdam: Elsevier.
750. Salviato, M., Kirane, K., & Bažant, Z. P. (2014). Statistical distribution and size effect of residual strength of quasibrittle materials after a period of constant load. *Journal of the Mechanics and Physics of Solids*, 64, 440–454.
751. Sammis, C. G., & Ashby, M. F. (1986). The failure of brittle porous solids under compressive stress state. *Acta Metallurgica et Materialia*, 34, 511–526.
752. Sanahuja, J. (2013). Effective behavior of ageing linear viscoelastic composites: Homogenization approach. *International Journal of Solids and Structures*, 50, 2846–2856.
753. Sanahuja, J., & Dormieux, L. (2010). Creep of a C-S-H gel: Micromechanical approach. *International Journal for Multiscale Computational Engineering*, 8, 357–368.
754. Sanzharovskii, R. S., & Manchenko, M. M. (2015). Creep of concrete and its instantaneous nonlinearity of deformation in the structural calculations. *Structural mechanics and constructions of buildings* (Vol. 2). St. Petersburg.
755. Sattler, K. (1953). *Theorie der Verbundkonstruktionen*. Berlin: Verlag W. Ernst.
756. Scheiner, S., & Hellmich, C. (2009). Continuum microviscoelasticity model for aging basic creep of early-age concrete. *Journal of Engineering Mechanics, ASCE*, 135, 307–323.
757. Scherer, G. W. (1992). Bending of gel beams: Method of characterizing mechanical properties and permeability. *Journal of Non-Crystalline Solids*, 142, 18–35.
758. Scherer, G. W. (1994). Relaxation of a viscoelastic gel bar: I. Theory. *Journal of Sol-Gel Science and Technology*, 1, 169–175.
759. Scherer, G. W. (2000). Measuring permeability of rigid materials by a beam-bending method: I. Theory. *Journal of the American Ceramic Society*, 83, 2231–2239.
760. Schmidt-Döhl, F., & Rostásy, F. S. (1995). Crystallization and hydration pressure or formation pressure of solid phases. *Cement and Concrete Research*, 25, 255–256.
761. Schneider, U. (1976). Behavior of concrete under thermal steady state and non-steady state conditions. *Fire and Structures*, 1, 103–115.
762. Schneider, U. (1982). Behavior of concrete at high temperatures. *Deutscher Ausschuss für Stahlbeton* (Vol. 337). Berlin: W. Ernst & Sohn.
763. Schneider, U. (1988). Concrete at high temperatures—a general review. *Fire Safety Journal*, 13, 55–68.
764. Schneider, U. (2010). Permeability of high performance concrete at elevated temperatures. In *Proceedings of the 6th International Conference on Structures in Fire, East Lansing, MI, USA*.
765. Schneider, U., & Herbst, H. J. (1989). Permeabilität und Porosität von Beton bei hohen Temperaturen. (*Heft* 403, pp. 23–52). Deutscher Ausschuss für Stahlbeton.
766. Schrefler, B. A. (2002). Mechanics and thermodynamics of saturated-unsaturated porous materials and quantitative solutions. *Applied Mechanics Reviews, ASME*, 55, 351–388.
767. Schrefler, B. A., Khoury, G. A., Gawin, D., & Majorana, C. E. (2002). Thermo-hydro-mechanical modeling of high performance concrete at high temperature. *Engineering Computations*, 19, 787–819.
768. Schulson, E. M., & Nickolayev, O. Y. (1995). Failure of columnar saline ice under biaxial compression: Failure envelopes and the brittle-to-ductile transition. *Journal of Geophysical Research*, 100, 22383–22400.
769. Schwartz, L. (1950). *Théorie des distributions*. Paris: Hermann.
770. Schwarzl, F., & Staverman, A. J. (1952). Time-temperature dependence of linear viscoelastic behavior. *Journal of Applied Physics*, 23, 838.
771. Selna, L. G. (1969). A concrete creep, shrinkage and cracking law for frame structures. *ACI Journal*, 66, 847–848.

772. Shah, S. P., Weiss, W. J., & Yang, W. (2000). Influence of specimen size/geometry on shrinkage cracking of rings. *Journal of Engineering Mechanics, ASCE*, 126, 93–101.
773. Shahidi, M., Pichler, B., & Hellmich, C. (2014). Viscous interfaces as source for material creep: A continuum micromechanics approach. *European Journal of Mechanics/A: Solids*, 45, 41–58.
774. Shahidi, M., Pichler, B., & Hellmich, C. (2016). Interfacial micromechanics assessment of classical rheological models. *Journal of Engineering Mechanics, ASCE*, 142(04015092), 04015093.
775. Shawwaf, K. (2008). Private communication. Dir., Dywidag Systems International USA, Bollingbrook, Illinois; former structural analyst on KB bridge design team.
776. Shideler, J. J. (1957). Lightweight aggregate concrete for structural use. *ACI Journal*, 54, 299–328.
777. Shriharan, S. (1989). *Structural effects of creep and shrinkage on concrete structures*. Civil Engineer: University Auckland.
778. Sinko, R., Bažant, Z. P., & Keten, S. (2017). A nanoscale perspective on the effects of transverse microprestress on drying creep of nanoporous solids. *Proceedings of the Royal Society A*. In press.
779. Sinko, R., Vandamme, M., Bažant, Z. P., & Keten, S. (2016). Transient effects of drying creep in nanoporous solids: Understanding the effects of nanoscale energy barriers. *Proceedings of the Royal Society A*, 472, 20160490.
780. Sluys, L. J. (1992). Wave propagation, localisation and dispersion in softening solids, Ph.D. thesis, Delft University of Technology, Delft, The Netherlands.
781. Smith, D. E., Wang, Y., Chaturvedi, A., & Whitley, H. D. (2006). Molecular simulations of the pressure, temperature, and chemical potential dependencies of clay swelling. *Journal of Physical Chemistry B*, 110, 20046–20054.
782. SOFiSTiK AG. (2010). AQB design of cross sections and of prestressed concrete and composite cross sections v13.64. Software Manual.
783. Soong, T. T. (2004). *Fundamentals of probability and statistics for engineers*. Chichester: Wiley.
784. Souley, M., Homand, F., Pepa, S., & Hoxha, D. (2001). Damage-induced permeability changes in granite: A case example at the URL in Canada. *International Journal of Rock Mechanics and Mining Sciences*, 38, 297–310.
785. SSFM Engineers (1996). Preliminary assessment of Koror-Babeldaob bridge failure, Technical report, SSFM Engineers, Inc., prepared for US Army Corps of Engineers.
786. Specifications, Standard, & for Concrete Structures - 2007 "Design"., (2010). *Tokyo* (p. 15). JSCE Guidelines for Concrete No: Japan.
787. Staverman, A. J., & Schwarzl, P. (1952). Non-equilibrium thermodynamics of visco-elastic behaviour. *Proceedings of the Academy of Sciences The Netherlands*, 55, 486–492.
788. Staverman, A. J., & Schwarzl, P. (1952). Thermodynamics of viscoelastic behaviour (model theory). *Proceedings of the Academy of Sciences The Netherlands*, 55, 474–485.
789. Stefan, J. (1879). Über die Beziehung zwischen der Wärmestrahlung und der Temperatur. *Sitzungsberichte* (pp. 391–428). Wien: Akademie der Wissenschaften.
790. Stöckl, S. (1978). Lastversuche über den Einfluss von vorangegangenen Dauerlasten auf die Kurzfestigkeit des Betons. *Deutscher Ausschuss für Stahlbeton* (Vol. 196). Berlin: W. Ernst & Sohn.
791. Strauss, A., Hoffmann, S., Wendner, R., & Bergmeister, K. (2009). Structural assessment and reliability analysis for existing engineering structures, applications for real structures. *Structure and Infrastructure Engineering*, 5, 277–286.
792. Strauss, A., Wendner, R., Bergmeister, K., & Costa, C. (2013). Numerically and experimentally based reliability assessment of a concrete bridge subjected to chloride induced deterioration. *Journal of Infrastructure Systems*, 19, 166–175.
793. Sukumar, N., Dolbow, J. E., & Moës, N. (2015). Extended finite element method in computational fracture mechanics: A retrospective examination. *International Journal of Fracture*, 196, 189–206.

794. Suresh, S. (1998). *Fatigue of materials*. Cambridge: Cambridge University Press.
795. Suresh, S., Tschegg, E. K., & Brockenbrough, J. R. (1989). Crack growth in cementitious composites under cyclic compressive loads. *Cement and Concrete Research*, 19, 827–833.
796. T.Y. Lin International. (1996). *Collapse of the Koror-Babelthuap bridge, Technical report*. Lin International: T.Y.
797. Tada, H., Paris, P. C., & Irwin, G. R. (1973). *The stress analysis of cracks handbook*. Hellerton: Del Research Corporation.
798. Tadros, M. K., Ghali, A., & Dilger, W. H. (1975). Time-dependent prestress loss and deflection in prestressed concrete members. *Prestressed Concrete Institute Journal*, 20, 86–98.
799. Tadros, M. K., Ghali, A., & Dilger, W. H. (1979). Long-term stresses and deformations of segmental bridges. *Prestressed Concrete Institute Journal*, 24, 66–87.
800. Tandon, S., Faber, K. T., Bažant, Z. P., & Li, Y.-N. (1995). Cohesive crack modeling of influence of sudden changes in loading rate on concrete fracture. *Engineering Fracture Mechanics*, 52, 987–997.
801. Taylor, G. I. (1938). Plastic strain in metals. *Journal of the Institute of Metals*, 62, 307–324.
802. Taylor, H. F. W. (1990). *Cement chemistry*. New York: Academic Press.
803. Taylor, R. L., Pister, K. S., & Goudreau, G. L. (1970). Thermomechanical analysis of viscoelastic solids. *International Journal for Numerical Methods in Engineering*, 2, 45–60.
804. Tazawa, E. I., & Miyazawa, S. (1995). Influence of cement and admixture on autogenous shrinkage of cement paste. *Cement and Concrete Research*, 25, 281–287.
805. Tenchev, R., & Purnell, P. (2005). An application of a damage constitutive model to concrete at high temperature and prediction of spalling. *International Journal of Solids and Structures*, 42, 6550–6565.
806. Tenchev, R. T., Li, L. Y., & Purkiss, J. A. (2001). Finite element analysis of coupled heat and moisture transfer in concrete subjected to fire. *Numerical Heat Transfer, Part A: Applications*, 39, 685–710.
807. Termkhajornkit, P., Nawa, T., Nakai, M., & Saito, T. (2005). Effect of fly ash on autogenous shrinkage. *Cement and Concrete Research*, 35, 473–482.
808. Terro, M. J. (1998). Numerical modeling of the behavior of concrete structures in fire. *ACI Structural Journal*, 95, 183–193.
809. Thai, M.-Q., Bary, B., & He, Q.-C. (2014). A homogenization-enriched viscodamage model for cement-based material creep. *Engineering Fracture Mechanics*, 126, 54–72.
810. Thelandersson, S. (1971). Effect of high temperatures on tensile strength of concrete. Report, Division of Structural, Mechanical and Concrete Construction, Lund Institute of Technology, Lund, Sweden.
811. Thelandersson, S. (1987). Modeling of combined thermal and mechanical action in concrete. *Journal of Engineering Mechanics, ASCE*, 113, 893–906.
812. Thomson, W. (1871). On the equilibrium of vapour at a curved surface of liquid. *Philosophical Magazine*, 42, 448–452.
813. Thomson, W. (1878). Elasticity. *Encyclopaedia britannica* (9th ed., Vol. VII, p. 803d). New York: Charles Scribner's.
814. Thouless, M. D., Hsueh, C. H., & Evans, A. G. (1983). A damage model for creep crack growth in polycrystals. *Acta Metallica*, 31, 1675–1687.
815. Tran, A. B., Yvonnet, J., He, Q.-C., Toulemonde, C., & Sanahuja, J. (2011). A simple computational homogenization method for structures made of linear heterogeneous viscoelastic materials. *Computer Methods in Applied Mechanics and Engineering*, 200, 2956–2970.
816. Trost, H. (1967). Auswirkungen des Superpositionsprinzip auf Kriech- und Relaxations-Probleme bei Beton und Spannbeton. *Beton- und Stahlbetonbau*, 62(230–238), 261–269.
817. Troxell, G. E., Raphael, J. E., & Davis, R. W. (1958). Long-time creep and shrinkage tests of plain and reinforced concrete. *Proceedings of the American Society for Testing and Materials*, 58, 1101–1120.
818. Tschoegl, N. W. (1989). *The phenomenological theory of linear viscoelastic behavior*. Berlin: Springer.

819. Tvergaard, V., & Hutchinson, J. W. (1992). The relation between crack growth resistance and fracture process parameters in elastic-plastic solids. *Journal of the Mechanics and Physics of Solids*, 40, 1377–1397.
820. Ulickii, I. I. (1963). *Determination of the magnitude of creep and shrinkage deformations of concrete*. Kiev: Stroyizdat. (in Russian).
821. Ulickii, I. I., Chan, U. Y., & Bolyshev, A. V. (1960). *Analysis of reinforced concrete structures considering long-time processes*. Kiev: Gosstroyizdat. (in Russian).
822. Ulm, F.-J., & Acker, P. (1998). *Le point sur le fluage et la recouvrance des bétons* (pp. 73–82). Spécial XX: Bulletin de liaison des Laboratoires des Ponts et Chaussées.
823. Ulm, F.-J., Acker, P., & Lévy, M. (1999). The "Chunnel" fire. II. Analysis of concrete damage. *Journal of Engineering Mechanics, ASCE*, 125, 283–289.
824. Ulm, F.-J., & Coussy, O. (1995). Modeling of thermochemomechanical couplings of concrete at early ages. *Journal of Engineering Mechanics*, 121(7), 785–794.
825. Ulm, F.-J., & Coussy, O. (1996). Strength growth as chemo-plastic hardening in early age concrete. *Journal of Engineering Mechanics*, 122(12), 1123–1132.
826. Ulm, F.-J., Coussy, O., & Bažant, Z. P. (1999). The "Chunnel" fire. I. Chemoplastic softening in rapidly heated concrete. *Journal of Engineering Mechanics, ASCE*, 125, 272–282.
827. Ulm, F., Maou, F. L., & Boulay, C. (2000). *Creep and shrinkage of concrete—kinetics approach* (pp. 134–153). American Concrete Institute (ACI SP-194).
828. van Genuchten, M. T. (1980). A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Science Society of America Journal*, 44, 892–898.
829. van Zijl, G. P. (1999). Computational modelling of masonry creep and shrinkage, Ph.D. thesis, Delft University of Technology, Delft, The Netherlands.
830. Vandamme, M., Bažant, Z. P., & Keten, S. (2015). Creep of lubricated layered nano-porous solids and application to cementitious materials. *ASCE Journal of Nanomechanics and Micro-mechanics*, 5, 04015002-1–04015002-8.
831. Vandamme, M., Brochard, L., Lecampion, B., & Coussy, O. (2010). Adsorption and strain: The CO₂-induced swelling of coal. *Journal of the Mechanics and Physics of Solids*, 58, 1489–1505.
832. Vandamme, M., & Ulm, F.-J. (2009). Nanogranular origin of concrete creep. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 10552–10557.
833. Vandamme, M., & Ulm, F.-J. (2013). Nanoindentation investigation of creep properties of calcilum silicate hydrates. *Cement and Concrete Research*, 52, 38–52.
834. Vandamme, M., Zhang, Q., Carrier, B., Ulm, F.-J., Pellenq, R., van Damme, H., et al. (2013). *Creep properties of cementitious materials from indentation testing: signification, influence of relative humidity, and analogy between C-S-H and clays*, CONCREEP 9. Boston.
835. Vashy, A. (1892). Sur les lois de similitude en physique. *Annales télégraphiques*, 19, 25–28.
836. Vitek, J. L. (1997). Long-term deflections of large prestressed concrete bridges. *Serviceability models - behaviour and modelling in serviceability limit states including repeated and sustained load*, CEB Bulletin d'Information, CEB, Lausanne (Vol. 235, pp. 215–227 and 245–265).
837. Voeltzel, A., & Dix, A. (2004). A comparative analysis of the Mont Blanc, Tauern and Gotthard tunnel fires. *Routes/Roads*, 324, 18–34.
838. Voigt, W. (1892). Ueber innere Reibung fester Körper, insbesondere der Metalle. *Annalen der Physik*, 283, 671–693.
839. Volterra, V. (1887). Sopra le funzioni che dipendono da altre funzioni. *R. C. Accad. Lincei*, 4, 97–105.
840. Volterra, V. (1909). Sulle equazioni integrodifferenziali della teoria dell'elasticità. *Atti Reale Accad. Lincei*, 5, 296–301.
841. Volterra, V. (1959). *Theory of functionals and of integral and integro-differential equations (1925 Madrid lectures)*. New York: Dover.
842. von Helmholtz, R. (1886). Untersuchungen über Dämpfe und Nebel, besonders über solche von Lösungen. *Annalen der Physik*, 263, 508–543.

843. Vořechovský, M., & Novák, D. (2005). Simulation of random fields for stochastic finite element analysis. *Safety and reliability of engineering systems and structures* (pp. 436–443). Rotterdam: Millpress.
844. Šmilauer, V., & Bažant, Z. P. (2010). Identification of viscoelastic C-S-H behavior in mature cement paste by FFT-based homogenization method. *Cement and Concrete Research*, *40*, 197–207.
845. Šmilauer, V., & Bittnar, Z. (2006). Microstructure-based micromechanical prediction of elastic properties in hydrating cement paste. *Cement and Concrete Research*, *36*, 1708–1718.
846. Štefan, R. (2017). Private communication at the Czech Technical University with M. Jirásek, June 2017.
847. Vuilleumier, F., Weatherill, A., & Crausaz, B. (2002). Safety aspects of railway and road tunnel: Example of the Lötschberg railway tunnel and Mont-Blanc road tunnel. *Tunnelling and Underground Space Technology*, *17*, 153–158.
848. Wallo, E. M., Yuan, R. L., Lott, J. L., & Kesler, C. E. (1965). *Sixth progress report: Prediction of creep in structural concrete from short time tests, T&AM report 658*. Urbana, Illinois: University of Illinois.
849. Wang, J., Yan, P., & Yu, H. (2007). Apparent activation energy of concrete in early age determined by adiabatic test. *Journal of Wuhan University of Technology-Materials Science*, *22*, 537–541.
850. Ward, M. A., & Cook, D. J. (1969). The mechanism of tensile creep in concrete. *Magazine of Concrete Research*, *21*, 151–158.
851. Ward, M. A., Neville, A. M., & Singh, S. P. (1969). Creep of air entrained concrete. *Magazine of Concrete Research*, *21*, 205–210.
852. Watson, K. M. (1943). Thermodynamics of the liquid states, generalized prediction of properties. *Industrial and Engineering Chemistry*, *35*, 398–406.
853. Wei, Y., Hansen, W., Biernacki, J. J., & Schlagen, E. (2011). Unified shrinkage model for concrete from autogenous shrinkage test on paste with and without ground-granulated blast-furnace slag. *ACI Materials Journal*, *108*, 13–20.
854. Weibull, W. (1939). The phenomenon of rupture in solids. *Proceedings of the Royal Swedish Institute for Engineering Research*, *153*, 1–55.
855. Weigler, H., & Karl, S. (1981). Kriechen des Betons bei frühzeitiger Belastung. *Betonwerk und Fertigteiltechnik*, (H9/81).
856. Weil, G. (1959). Influence des dimensions et des tensions sur le retrait et le fluage du béton. *RILEM Bulletin*, *3*, 4–14.
857. Weiss, W. J., Schiessl, A., Yang, W., & Shah, S. (1998). Shrinkage cracking potential, permeability, and strength for HPC: Influence of W/C, silica fume, latex, and shrinkage reducing admixtures. In *Proceedings of the International Symposium on High-Performance and Reactive Powder Concretes, Sherbrooke, Canada* (Vol. 1, pp. 349–364).
858. Welty, J. R., Wicks, C. E., & Wilson, R. E. (1969). *Fundamentals of heat and mass transfer*. New York: Wiley.
859. Wendner, R., Hubler, M. H., & Bažant, Z. P. (2015). Optimization method, choice of form and uncertainty quantification of model B4 using laboratory and multi-decade bridge databases. *Materials and Structures*, *48*, 771–796.
860. Wendner, R., Hubler, M. H., & Bažant, Z. P. (2015). Statistical justification of model B4 for multi-decade concrete creep using laboratory and bridge databases and comparisons to other models. *Materials and Structures*, *48*, 815–833.
861. Wendner, R., Strauss, A., Guggenberger, T., Bergmeister, K., & Teply, B. (2010). Approach for the assessment of concrete structures subjected to chloride induced deterioration. *Beton- und Stahlbetonbau*, *105*, 778–786.
862. Wesche, K., Schrage, I., & von Berg, W. (1978). Versuche zum Einfluss des Belastungsalters auf das Kriechen von Beton. *Deutscher Ausschuss für Stahlbeton* (Vol. 295). Berlin: W. Ernst & Sohn.
863. Whaley, C. P., & Neville, A. M. (1973). Non-elastic deformation of concrete under cyclic compression. *Magazine of Concrete Research*, *25*, 145–154.

864. White, T. L., Foster, D., Wilson, C. T., & Schaich, C. R. (1995). *Phase II microwave concrete decontamination results, Technical report DE-AC05-84OR21400*. Oak Ridge, Tenn: Oak Ridge National Laboratory.
865. Whitney, G. S. (1932). Plain and reinforced concrete arches. *Journal of the American Concrete Institute*, 28, 479–519; *Discussion*, 29, 87–100.
866. Widder, D. V. (1941). *The Laplace transform*. Princeton: Princeton University Press.
867. Widder, D. V. (1971). *An introduction to transform theory*. New York: Academic Press.
868. Wierig, H. J. (1965). Die Wasserdampfdurchlässigkeit von Zementmörtel und Beton. *Zement-Kalk-Gips*, 471–482.
869. Wischers, G., & Dahms, G. (1977). Kriechen von frühbelasteten Beton mit hoher Anfangsfestigkeit. *Beton*, H2, 69–74; H3, 104–108.
870. Wittmann, F. (1970). Einfluss des Feuchtigkeitsgehaltes auf das Kriechen des Zementsteines. *Rheologica Acta*, 9, 282–287.
871. Wittmann, F. H. (1971). Bestimmung physikalischer Eigenschaften des Zementsteines. *Rheologica Acta*, 20, 422–428.
872. Wittmann, F. H. (1971). Kriechverformung des Betons unter statischer und unter dynamischer Belastung. *Rheologica Acta*, 10, 422–428.
873. Wittmann, F. H. (1971). Vergleich einiger Kriechfunktionen mit Versuchsergebnissen. *Cement and Concrete Research*, 1, 679–690.
874. Wittmann, F. H. (1974). Bestimmung physikalischer Eigenschaften des Zementsteines. *Deutscher Ausschuss für Stahlbeton* (Vol. 232, pp. 1–63). Berlin: W. Ernst & Sohn.
875. Wittmann, F. H. (1980). Properties of hardened cement paste. In *Proceedings of the International Congress on Chemistry of Cement* (Vol. I). Paris. Subtheme VI-2.
876. Wittmann, F. H. (1982). Creep and shrinkage mechanisms. In Z. P. Bažant & F. H. Wittmann (Eds.), *Creep and shrinkage of concrete structures* (pp. 129–161). New York: Wiley.
877. Wittmann, F. H. (1985). Influence of time on crack formation and failure of concrete. In S. P. Shah (Ed.), *Application of fracture mechanics to cementitious composites* (pp. 593–616). Dordrecht: Martinus Nijhoff Publishers.
878. Wittmann, F. H., Bažant, Z. P., Alou, F., & Kim, J. K. (1987). Statistics of shrinkage test data. *Cement, Concrete and Aggregates*, 9, 129–153.
879. Wittmann, F. H., & Roelfstra, P. E. (1980). Total deformation of loaded drying concrete. *Cement and Concrete Research*, 10, 211–222.
880. Xi, Y. (1995). A model for moisture capacities of composite materials. *Part I: Formulation*. *Computational Materials Science*, 4(1), 65–77.
881. Xi, Y. (1995). A model for moisture capacities of composite materials, Part II: Application to concrete. *Computational Materials Science*, 4(1), 78–92.
882. Xi, Y., & Bažant, Z. P. (1989). Sampling analysis of concrete structures for creep and shrinkage with correlated random material parameters. *Probabilistic Engineering Mechanics*, 4, 174–186.
883. Xi, Y., Bažant, Z. P., & Jennings, H. M. (1994). Moisture diffusion in cementitious materials: Adsorption isotherms. *Journal of Advanced Cement Based Materials*, 1, 248–257.
884. Xi, Y., Bažant, Z. P., Molina, L., & Jennings, H. M. (1994). Moisture diffusion in cementitious materials: Moisture capacity and diffusivity. *Journal of Advanced Cement Based Materials*, 1, 258–266.
885. Yang, Y., Sato, R., & Kawai, K. (2005). Autogeneous shrinkage of high-strength concrete containing silica fume under drying at early ages. *Cement and Concrete Research*, 35, 449–456.
886. Yee, A. A. (1979). Record span box girder bridge connects Pacific Islands. *Concrete International*, 1, 22–25.
887. York, G. P., Kennedy, T. W., & Perry, E. S. (1970). *Experimental investigation of creep in concrete subjected to multiaxial compressive stresses and elevated temperatures, Research report to Oak Ridge National Laboratory 2864-2*. Department of Civil Engineering: University of Texas, Austin.

888. Young, D. M., & Crowell, A. D. (1962). *Physical adsorption of gases*. Washington, D.C.: Butterworth.
889. Yu, Q., Bažant, Z. P., & Wendner, R. (2012). Improved algorithm for efficient and realistic creep analysis of large creep-sensitive concrete structures. *ACI Structural Journal*, *109*, 665–675.
890. Zelinski, R. (2010). *Private communication*. Caltrans, California: Former Bridge Engineer.
891. Zhang, Q., Roy, R. L., Vandamme, M., & Zuber, B. (2014). Long-term creep properties of cementitious materials: Comparing microindentation testing with macroscopic uniaxial compressive testing. *Cement and Concrete Research*, *58*, 89–98.
892. Zhang, Y. M., Pichler, C., Yuan, Y., Zeiml, M., & Lackner, R. (2013). Micromechanics-based multifield framework for early-age concrete. *Engineering Structures*, *47*, 16–24.
893. Zhou, F. P. (1992). *Time-dependent crack growth and fracture in concrete, Report TVBM-1011*. Lund, Sweden: Lund Institute of Technology.
894. Zhou, F. P., Lydon, F. D., & Barr, B. I. G. (1995). Effect of coarse aggregate on elastic modulus and compressive strength of high performance concrete. *Cement and Concrete Research*, *25*, 177–186.
895. Zhukov, V. V., & Shevchenko, V. I. (1974). Investigation of causes of possible spalling and failure of heat-resistant concrete at drying, first healing and cooling. In K. D. Nekrasov (Ed.), *Zharostoikie Betony (Heat-resistant concretes)* (pp. 32–45). Moscow: Stroizdat.
896. Ziegler, H. (1983). *An introduction to thermomechanics*. Amsterdam etc: North-Holland.
897. Zienkiewicz, O. C., Watson, M., & King, I. P. (1968). A numerical method of viscoelastic stress analysis. *International Journal of Mechanical Sciences*, *10*, 807–827.